



# GRINDMASTER-CECILWARE™



2010

1911

*1911 to 2010  
Our 99<sup>th</sup> Year*

## 2010 Beverage Equipment Price List

Effective January 1, 2010





GRINDMASTER-CECILWARE<sup>TM</sup>

# Table of Contents

<b>Food Service and Retail Coffee Grinders .....</b>	<b>2</b>
<b>Grind'n Brew Coffee Systems® .....</b>	<b>3</b>
<b>AL-LEN™ Ground Coffee Dispensers .....</b>	<b>3</b>
<b>Single Cup / Decanter / Airpot Coffee Brewers .....</b>	<b>4</b>
<b>Decanter / Airpot Brewer Accessories and Warmers .....</b>	<b>8</b>
<b>Shuttle® / Satellite Coffee Brewers, Accessories &amp; Options .....</b>	<b>10</b>
<b>Coffee Urns and Chinese Hot Tea Urns, Accessories &amp; Options .....</b>	<b>13</b>
<b>Hot Water Boilers and Dispensers .....</b>	<b>19</b>
<b>Espresso Machines &amp; Accessories / Espresso Grinders .....</b>	<b>20</b>
<b>Liquid Coffee Dispensers .....</b>	<b>23</b>
<b>Soluble Beverage Dispensers .....</b>	<b>24</b>
<b>Hot Food Dispensers and Syrup Warmers .....</b>	<b>26</b>
<b>Hot Powdered Beverage Dispensers .....</b>	<b>27</b>
<b>Hot Chocolate Dispensers .....</b>	<b>32</b>
<b>Cold Powdered and Bag-In-Box Dispensers &amp; Accessories .....</b>	<b>33</b>
<b>Cold Beverage Dispensers, Accessories &amp; Options .....</b>	<b>34</b>
<b>Automatic Orange Juice Machines &amp; Accessories .....</b>	<b>37</b>
<b>Iced Tea Brewers, Dispensers, Liquid Concentrate Dispensers .....</b>	<b>38</b>
<b>Granita Beverage Dispensers &amp; Accessories .....</b>	<b>40</b>
<b>Crathco® Barrel Freezers &amp; Accessories .....</b>	<b>42</b>
<b>Online Ordering .....</b>	<b>44</b>
<b>2010 Tradeshow .....</b>	<b>45</b>
<b>Warranty .....</b>	<b>46</b>
<b>Terms &amp; Conditions .....</b>	<b>47</b>





## Coffee Grinders



### Food Service Coffee Grinders

- Adjustable range of grind profile settings.
- Long lasting burrs deliver precise grind particle distribution.
- Dependable and economical.



Model 190SS



Model 250



Model 250RH-2

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
100	Single portion grinder. 6 lbs. (2.7kg) hopper.	26.5" x 12.5" x 18.5" (67 cm x 32 cm x 47 cm)	46 lbs. (20.9 kg)	\$ 1,300
190SS	Single portion grinder. One 6 lb. (2.7kg) hopper.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	44 lbs. (20 kg)	\$ 1,300
250	Two 5.5 lb. (2.5kg) hoppers. Single portion each side.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	57 lbs. (25.8 kg)	\$ 1,500
250-3A	250 grinder with three portions on each side.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	57 lbs. (25.8 kg)	\$ 1,770
250RH-2	250 grinder with dual portions and two removable hoppers.	34" x 14" x 20" (86 cm x 36 cm x 51 cm)	62 lbs. (28 kg)	\$ 2,118
250RH-3	250 grinder with three portions and two removable hoppers.	34" x 14" x 20" (86 cm x 36 cm x 51 cm)	62 lbs. (28 kg)	\$ 2,288
82349	Replacement hopper for 250RH models.	14.25" x 6.5" x 12.25" (36 cm x 16 cm x 54 cm)	7 lbs. (3.2 kg)	\$ 138

Electrical: 120V, 920W, 8A; Export voltage available, see International guide.



### Retail Coffee Grinders

- Multiple grind particle profile selections.
- Fast grinding speed.
- Space saving design.
- Precision burrs.



Model 495



Model 835



Model 890

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
495	2 lb. (907.2g) hopper. Heavy duty grinder.	12" x 18.25" x 25.25" (30 cm x 46 cm x 65 cm)	52 lbs. (23.6 kg)	\$ 1,342
810	1.5 lb. (680g) hopper. Medium duty grinder.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	42 lbs. (19 kg)	\$ 1,176
810S	810 grinder with ETL Sanitation listing.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	42 lbs. (19 kg)	\$ 1,286
835	1.5 lb. (680g) hopper. Choose red or black.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	46 lbs. (21 kg)	\$ 1,244
835S	835 grinder with ETL Sanitation listing. Choose red or black.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	46 lbs. (21 kg)	\$ 1,346
875	3 lb. (1.4kg) hopper. Choose red or black.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	53 lbs. (24 kg)	\$ 1,248
875S	875 grinder with ETL Sanitation listing.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	53 lbs. (24 kg)	\$ 1,388
890	European burrs for precision grinding. 3 lb. (1.4kg) hopper.	33.5" x 12.5" x 18.75" (85 cm x 32 cm x 48 cm)	53 lbs. (24 kg)	\$ 1,482
890BS	890 grinder with ETL Sanitation listing. Black only.	31" x 10.35" x 19" (79 cm x 26 cm x 48 cm)	53 lbs. (24 kg)	\$ 1,516
890T	European burrs for precision grinding. 5 lb. (2.3 kg) hopper.	34.5" x 10.75" x 19.25" (88 cm x 28 cm x 49 cm)	57 lbs. (26 kg)	\$ 1,695

Electrical: 120V, 920W, 8A; Export voltage available, see International guide.



# Grind'n Brew Coffee Systems®



## Grind'n Brew Coffee Systems®

- Unique system combines a precision coffee grinder and a brewer into one machine in under 10 inches of counter space.
- Digital control system.
- Brew into decanters or airpots.
- Single 5.5 lb. (2.49 kg) or dual 6.5 lb. (2.95 kg) hoppers.



Model GNB-11H



Model GNB-20H

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
GNB-11H	Single <b>decanter brewer</b> with single 5.5 lb. (2.49 kg) bean hopper.	120V / 1810W / 15A	32.25" x 15.5" x 29.75" (81 cm x 39 cm x 74 cm)	80 lbs. (36 kg)	\$ 3,094
GNB-11HQ	Single <b>decanter brewer</b> with single 5.5 lb. (2.49 kg) bean hopper.	120/240V / 3660W / 16A	32.25" x 15.5" x 29.75" (81 cm x 39 cm x 74 cm)	80 lbs. (36 kg)	\$ 3,238
GNB-10H	Single 2.2L <b>airpot brewer</b> with single 5.5 lb. (2.49 kg) bean hopper.	120V / 1710W / 15A	32.25" x 15.5" x 29.75" (81 cm x 39 cm x 74 cm)	80 lbs. (36 kg)	\$ 3,006
GNB-21H	Single <b>decanter brewer</b> with dual 6.5 lb. (2.95 kg) bean hoppers.	120V / 1810W / 15A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	\$ 3,584
GNB-21HQ	Single <b>decanter brewer</b> with dual 6.5 lb. (2.95 kg) bean hoppers.	120/208-240V / 2749/3660W / 20A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	\$ 3,706
GNB-20H	Single 2.2L <b>airpot brewer</b> with dual 6.5 lb. (2.95 kg) bean hoppers.	120V / 1710W / 15A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	\$ 3,584
GNB-20HQ	Single 2.2L <b>airpot brewer</b> with dual 6.5 lb. (2.95 kg) bean hoppers.	120/208-240V / 2674/3650W / 20A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	\$ 3,706

**Electrical:** Export voltage available, see International guide. **Note:** Decanters and airpots sold separately.



## AL-LEN™ Ground Coffee Dispensers

- Models A, B, G - Dispenses into brew basket.
- Model C - Dispenses into stainless steel cup.
- Dispenses perfect portions with no mess, waste, or bridging.
- Easy dispenser adjustments.



Model A



Model C

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
Model A*	Dispenses directly into a brew basket up to 8.75" (22.22 cm) in diameter.	18.5" x 9.25" x 11.25" (47 cm x 23 cm x 29 cm)	14 lbs. (6.3 kg)	\$ 370
Model B	Comes standard with built in agitator. Dispenses directly into a brew basket up to 8.75" (22.22 cm) in diameter.	18.5" x 9.25" x 11.25" (47 cm x 23 cm x 29 cm)	14 lbs. (6.3 kg)	\$ 410
Model G*	For use with larger coffee brewers. Will accept brew baskets up to 8.75" (22.22 cm) in diameter.	25.25" x 9.25" x 11.25" (64 cm x 23 cm x 29 cm)	16 lbs. (7.3 kg)	\$ 450
Model C*	Dispenses directly into a stainless steel cartridge cup**	18.5" x 9.25" x 9.25" (47 cm x 23 cm x 23 cm)	13 lbs. (5.9 kg)	\$ 450

**Optional:** \*Available with built-in agitator - Eliminates bridging when using fine ground coffee, add "AG" suffix to model number and add \$26 to list price. For stainless steel cover add "SS" suffix to model number and add \$22 to list price. \*\*Extra dispenser cups available for Model C. Add \$64 to list price.







## Single Cup/Decanter/ Airpot Coffee Brewers



### PrecisionBrew™ Pod Brewers

- Single serve coffee and tea pod brewing systems.
- Accepts all commercial pods.



Model OPOD



Model GPOD

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
OPOD	Heavy duty, commercial pod brewer. Dual water system allows unit to be plumbed in or manually filled.	120V / 1300W / 11A	16" x 9.75" x 15.75" (41 cm x 25 cm x 40 cm)	15 lbs. (6.8 kg)	\$ 530
GPOD	Light duty, commercial pod brewer. Must be manually filled.	120V / 1300W / 11A	15.75" x 10" x 14.25" (40 cm x 25 cm x 36 cm)	8.5 lbs. (3.9 kg)	\$ 222
Pod Waste Bin (part # 92837)	Container with large top opening for disposing spent pods.	n/a	7" x 7" x 7" (18 cm x 18 cm x 18 cm)	1 lb. (0.45 kg)	\$ 28
Pod Rack (part # 92836)	3-position pod holder rack.	n/a	5" x 7" x 9" (13 cm x 18 cm x 23 cm)	1 lb. (0.45 kg)	\$ 54
External Water Pump Kit (part # 63174)	Flojet® bottled water dispensing system delivers fresh water straight to the pod brewer.	120V / 60W / 1A	3.5" x 24" x 10.5" (9 cm x 61 cm x 27 cm)	8.5 lbs. (3.8 kg)	\$ 312



### Pour-over Coffee Brewers

- Economical units that brew into decanters or airpots.
- Stainless steel construction.



Model BL-2P



Model BA-P



Model BL-3PW

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
BL-1P	Brews into <b>decanter</b> . 1 warmer.	120V / 1500W / 13A	21.5" x 15" x 26.25" (55 cm x 38 cm x 67 cm)	27 lbs. (12.3 kg)	\$ 382
BL-2P	Brews into <b>decanter</b> . 2 warmers.	120V / 1600W / 13.3A	21.5" x 15" x 26.25" (55 cm x 38 cm x 67 cm)	27 lbs. (12.3 kg)	\$ 386
BL-3PW	Brews into <b>decanter</b> . 3 warmers.	120V / 1700W / 14.2A	21.5" x 21.25" x 20.25" (55 cm x 54 cm x 52 cm)	31 lbs. (14 kg)	\$ 478
BA-P	Brews into <b>airpot</b> . 0 warmers.	120V / 1400W / 11.7A	26.25" x 15" x 26.25" (67 cm x 38 cm x 67 cm)	27 lbs. (12.3 kg)	\$ 410

**Electrical:** Export voltage available, see International guide. **Note:** Decanters and airpots sold separately.



### Airpot Coffee Brewers

- Fast brew cycle with instant recovery.
- High limit control automatically turns off heater if brewer runs dry or overheats.



Model APT18WT-IT



Model APT18

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
APT18P	Analog, pour-over airpot brewer.	120V / 1.8KW / 15A	24" x 8.25" x 18" (61 cm x 21 cm x 46 cm)	29 lbs. (13.2 kg)	\$ 610
APT18*	Analog, airpot brewer.	120V / 1.8KW / 15A	24" x 8.25" x 18" (61 cm x 21 cm x 46 cm)	29 lbs. (13.2 kg)	\$ 890
APT18-IT*	Digital, airpot brewer.	120V / 1.8KW / 15A	24" x 8.25" x 18" (61 cm x 21 cm x 46 cm)	29 lbs. (13.2 kg)	\$ 1,070
APT100WT	Analog, twin airpot brewer with water tap.	120/240V / 5KW / 23A	24" x 17" x 18" (61 cm x 43 cm x 46 cm)	55 lbs. (25 kg)	\$ 1,600

**Plumbing:** .25" (6.35 mm) water line required. **Electrical:** Line cord included, export voltage available upon request. • **Body Construction:** Stainless steel.

**Options:** 1) Available in black, add "BL" suffix to model # ex. APT18-IT-BL 2) \*Available with a hot water tap. Add "WT" and \$80 to list price.

**Note:** Brewers are set for 2.2 liter capacity airpots, but can easily be adjusted for 1.9 or 2.5 liter airpots. • **Airpot** not included. • **Filters:** Order #A12 filters.





# Decanter Coffee Brewers



## Coffee Station & Brew Time Series Pour-over Coffee Brewers

- 12 cup capacity.
- Coffee Station Series: Polysulfone water tank reduces liming.
- Brew Time Series: Stainless Steel water tank.



Model CS3



Model BT2

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
<b>Coffee Station Series Pour-over Coffee Brewers</b>					
CS2	Brews into decanter. 2 warmers.	120V / 1.7KW / 14A	21.75" x 16" x 10" (55 cm x 41 cm x 25 cm)	25 lbs. (11.3 kg)	\$ 550
CS3	Brews into decanter. 3 warmers.	120V / 1.8KW / 15A	21.75" x 16" x 10" (55 cm x 41 cm x 25 cm)	26 lbs. (11.8 kg)	\$ 610
<b>Brew Time Series Pour-over Coffee Brewers</b>					
BT2	Brews into decanter. 2 warmers.	120V / 1.6KW / 14A	20.25" x 17.5" x 9.5" (51 cm x 44 cm x 24 cm)	27 lbs. (12.2 kg)	\$ 550
BT3	Brews into decanter. 3 warmers.	120V / 1.6KW / 15A	20.25" x 17.5" x 9.5" (51 cm x 44 cm x 24 cm)	27 lbs. (12.2 kg)	\$ 610
<b>Note:</b> Decanters sold separately. • Line cord included, export voltage 220V, 50, 1 also available, add 5% to list price. • Order #A12 filters. • Stainless steel construction.					



## Century 2000 Pour-over Coffee Brewers

- For locations where water lines are not accessible.
- Heat exchange water coil system.



Model C2003PR

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
C2002P	Brews into decanter. 1 warmer on top, 1 warmer on bottom.	120V / 1.7KW / 15A	18.75" x 8" x 18" (48 cm x 20 cm x 46 cm)	27 lbs. (12.2 kg)	\$ 650
C2003P	Brews into decanter. 1 warmer on top, 2 warmers on bottom.	120V / 1.7KW / 15A	18.75" x 8" x 18" (48 cm x 20 cm x 46 cm)	28 lbs. (12.7 kg)	\$ 670
C2003PR	Brews into decanter. 1 warmer on right, 2 warmers on bottom.	120V / 1.7KW / 15A	17.25" x 16" x 18" (44 cm x 41 cm x 46 cm)	36 lbs. (16.3 kg)	\$ 670
C2003PL	Brews into decanter. 1 warmer on left, 2 warmers on bottom.	120V / 1.7KW / 15A	17.25" x 16" x 18" (44 cm x 41 cm x 46 cm)	36 lbs. (16.3 kg)	\$ 670
<b>Note:</b> Decanters sold separately. • Export voltage 220V, 50, 1 available, add 5% to list price. • Stainless steel construction. • Plastic brew funnel standard, stainless steel brew funnel available - add \$60 to list price. • Black finish available. Add -BL suffix to model number.					



## Coffee Station Series Automatic Coffee Brewers

- 12 cup capacity.
- Polysulfone water tank reduces liming.



Model CS2A

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
CS2A	Automatic, 2 warmers.	120V / 1.7KW / 14A	21.75" x 16" x 10" (55 cm x 41 cm x 25 cm)	28 lbs. (12.7 kg)	\$ 810
CS3A	Automatic, 3 warmers.	120V / 1.8KW / 15A	21.75" x 16" x 10" (55 cm x 41 cm x 25 cm)	28 lbs. (12.7 kg)	\$ 840
CS2AWT	Automatic, 2 warmers, hot water tap.	120V / 1.7KW / 14A	21.75" x 16" x 10" (55 cm x 41 cm x 25 cm)	29 lbs. (13.1 kg)	\$ 1,050
CS3AWT	Automatic, 3 warmers, hot water tap.	120V / 1.8KW / 15A	21.75" x 16" x 10" (55 cm x 41 cm x 25 cm)	29 lbs. (13.1 kg)	\$ 1,110
<b>Plumbing:</b> .25" (6.35 mm) water line required. • <b>Note:</b> Decanters sold separately. • Line cord included, export voltage 220V, 50, 1 also available, add 5% to list price. • Order #A12 filters. • Stainless steel construction.					





## Decanter/Airpot Coffee Brewers



### AT Series Automatic Coffee Brewers

- Brew into airpots, decanters, or thermal carafes.
- Space saving, attractive, durable stainless steel design.
- Pour-over capability, momentary contact brew start switch, plastic brew basket, and hot water faucet.



Model AT-AP



Model AT-2W



Model AT-TC

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
AT-AP	Brews directly into <b>airpot</b> .	120V / 1780W / 14.8A	28.75" x 12.5" x 22.5" (73 cm x 32 cm x 57 cm)	31 lbs. (14.1 kg)	\$ 754
AT-3WR	Brews into <b>decanter</b> . 3 warmers.	120V / 1700W / 14.2A	22.75" x 19.75" x 22.5" (58 cm x 50 cm x 57 cm)	36 lbs. (16.4 kg)	\$ 844
AT-2W	Brews into <b>decanter</b> . 2 warmers.	120V / 1600W / 13.3A	23.25" x 12.5" x 22.5" (59 cm x 32 cm x 57 cm)	29 lbs. (13.2 kg)	\$ 822
AT-TC	Brews directly into 64 oz. (1.9L) <b>vacuum insulated container</b> .	120V / 1780W / 14.8A	23.25" x 12.5" x 22.5" (59 cm x 32 cm x 57 cm)	28 lbs. (12.7 kg)	\$ 754

**Electrical:** Export voltage available, see International guide. **Note:** Decanters, airpots, and vacuum insulated container sold separately.



### Century 2000 Automatic Coffee Brewers

- Automatic brewers with pour-over back-up system - for locations with possible water line interruption.
- Automatic gravity feed brewers with hot water tap - Designed for brewing locations where low water pressure occurs, assures accurately brewed coffee.
- Rapid recovery system - continually brew coffee without depleting hot water tank.



Model C2003L



Model C2003R

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
C2002	Warmers: 1 bottom, 1 top, with pour-over backup system.	120V / 1.7KW / 15A	18.75" x 8" x 18" (48 cm x 20 cm x 46 cm)	29 lbs. (13.1 kg)	\$ 980
C2002G (Gravity)	Warmers: 1 bottom, 1 top	120V / 1.7KW / 15A	18.75" x 8" x 18" (48 cm x 20 cm x 46 cm)	29 lbs. (13.1 kg)	\$ 980
C2003	Warmers: 1 bottom, 2 top, with pour-over backup system.	120V / 1.7KW / 15A	18.75" x 8" x 18" (48 cm x 20 cm x 46 cm)	30 lbs. (13.6 kg)	\$ 1,090
C2003G (Gravity)	Warmers: 1 bottom, 2 top	120V / 1.7KW / 15A	18.75" x 8" x 18" (48 cm x 20 cm x 46 cm)	30 lbs. (13.6 kg)	\$ 1,090
C2003R	Warmers: 2 bottom, 1 right, with pour-over backup system.	120V / 1.7KW / 15A	17.25" x 16" x 18" (44 cm x 41 cm x 46 cm)	36 lbs. (16.3 kg)	\$ 1,150
C2003RG (Gravity)	Warmers: 2 bottom, 1 right	120V / 1.7KW / 15A	17.25" x 16" x 18" (44 cm x 41 cm x 46 cm)	36 lbs. (16.3 kg)	\$ 1,150
C2003L*	Warmers: 2 bottom, 1 left, with pour-over backup system.	120V / 1.7KW / 15A	17.25" x 16" x 18" (44 cm x 41 cm x 46 cm)	36 lbs. (16.3 kg)	\$ 1,150
C2003LG (Gravity)	Warmers: 2 bottom, 1 left	120V / 1.7KW / 15A	17.25" x 16" x 18" (44 cm x 41 cm x 46 cm)	36 lbs. (16.3 kg)	\$ 1,150

**Plumbing:** .25" (6.35 mm) water line required. • Decanters sold separately. **Electrical:** Export voltage 220V, 50, 1 available, add 5% to list price. **Note:** Stainless steel construction.  
• Plastic brew funnel standard, stainless steel brew funnel available, add \$60 to list price. • Black finish available. Add -BL suffix to model number.





# Digital Decanter/Airpot Coffee Brewers



## PrecisionBrew™ Digital Decanter/Airpot Brewers & Accessories

- Brew into 1.9L vacuum insulated container, 2.2L airpots, decanters, or 2.5L gravity containers.



Model B-ID



Model B-6

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
B-ID	Single, digitally controlled brewer brews into <b>1.9L SS vacuum insulated container</b> .	120V / 1780W / 14.9A 120/240V / 3500W / 14.6A 120/208V / 2620W / 12.6A	22" x 13" x 24" (56 cm x 33 cm x 61 cm)	37 lbs. (16.8 kg)	\$ 978
B-3	Single, digitally controlled <b>decanter brewer</b> . Warmers: 1 bottom, 2 top	120V / 1800W / 15A 120/240V / 3800W / 15.9A 120/208V / 2920W / 14.1A	22" x 13" x 24" (56 cm x 33 cm x 61 cm)	35 lbs. (15.9 kg)	\$ 1,058
B-3WL B-3WR	Single, digitally controlled <b>decanter brewers</b> . Warmers: 1 bottom, 2 side (left or right indicated by model number)	120V / 1800W / 15A 120/240V / 3900W / 15.9A 120/208V / 2920W / 14.1A	22" x 21" x 24" (56 cm x 53 cm x 61 cm)	40 lbs. (18.1 kg)	\$ 1,162
B-6	Twin, digitally controlled <b>decanter brewer</b> . Warmers: 2 bottom, 4 top	120/240V / 6600W / 27.5A 120/208V / 5110W / 24.6A	22" x 21" x 24" (56 cm x 53 cm x 61 cm)	55 lbs. (25 kg)	\$ 1,870
B-SAP	Single, digitally controlled 2.2L <b>airpot brewer</b> .	120V / 1780W / 14.9A 120/240V / 3500W / 14.6A 120/208V / 2620W / 12.6A	28" x 13" x 24" (71 cm x 31 cm x 61 cm)	37 lbs. (16.8 kg)	\$ 1,042
B-DAP	Twin, digitally controlled <b>airpot brewer</b> . Brews into 2.2L or 2.5L airpot.	120/240V / 6000W / 25A 120/208V / 4510W / 21.7A	28" x 20" x 24" (71 cm x 31 cm x 61 cm)	55 lbs. (25 kg)	\$ 1,746
B-DGP	Twin digitally controlled brewer. Brews into 2.5L <b>vacuum insulated gravity containers</b> .	120/240V / 6000W / 25A 120/208V / 4492W / 21.6A	32" x 21" x 24" (81 cm x 53 cm x 61 cm)	55 lbs. (25 kg)	\$ 1,770

**Electrical:** Export voltage available, see International guide. **Note:** Decanters, airpots, and insulated containers sold separately.

### Accessories for PrecisionBrew™ Digital Decanter/Airpot Brewers

SS-1.9 LR	1.9L SS vacuum insulated decanter with brew through lid. For use with B-ID. Black lid.	n/a	7.5" x 7.5" x 7.5" (19 cm x 19 cm x 19 cm)	2.7 lbs. (1.2 kg)	\$ 52
SS-1.9 LD	1.9L SS vacuum insulated decanter with brew through lid. For use with B-ID. Orange lid.	n/a	7.5" x 7.5" x 7.5" (19 cm x 19 cm x 19 cm)	2.7 lbs. (1.2 kg)	\$ 52
AGP-2.5	2.5L vacuum insulated gravity container for use with Model B-DGP.	n/a	18" x 12" x 12" (46 cm x 30 cm x 30 cm)	6.1 lbs. (2.8 kg)	\$ 126
70752-C	Case of 6 regular, 2.2L, glass lined airpots.	n/a	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	\$ 268
70753-C	Case of 6 decaf 2.2L, glass lined airpots.	n/a	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	\$ 268



## Digital Century 2000 Coffee Brewers

- Digital Brewers with user friendly walk thru menus.



Model C2003LG-IT



Model C2003RG-IT

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
C2003G-IT	Warmers: 1 bottom, 2 top	120V / 1.7KW / 15A	18.75" x 8" x 18" (48 cm x 20 cm x 46 cm)	30 lbs. (13.6 kg)	\$ 1,250
C2003RG-IT	Warmers: 2 bottom, 1 right	120V / 1.7KW / 15A	17.25" x 16" x 18" (44 cm x 41 cm x 46 cm)	36 lbs. (16.3 kg)	\$ 1,370
C2003LG-IT	Warmers: 2 bottom, 1 left	120V / 1.7KW / 15A	17.25" x 16" x 18" (44 cm x 41 cm x 46 cm)	36 lbs. (16.3 kg)	\$ 1,370
C2005RG-IT	Warmers: 3 bottom right, 2 top	120V / 1.95KW / 16A	18.75" x 16" x 18" (48 cm x 41 cm x 46 cm)	51 lbs. (23.1 kg)	\$ 1,650
C2005LG-IT	Warmers: 3 bottom left, 2 top	120V / 1.95KW / 16A	18.75" x 16" x 18" (48 cm x 41 cm x 46 cm)	51 lbs. (23.1 kg)	\$ 1,650
C2005G-IT	Warmers: 3 bottom, 2 middle	120V / 1.95KW / 16A	17.25" x 24" x 18" (44 cm x 61 cm x 46 cm)	51 lbs. (23.1 kg)	\$ 1,650

**Plumbing:** .25" (6.35 mm) water line required. • Decanters sold separately. • Line cord included. • export voltage 220V, 50, 1 available, add 5%. • Stainless steel construction. • Plastic brew funnel standard. Stainless steel brew funnel available, add \$60 to list price. • Shipboard package available (sea rails and tie downs), add \$200 to list price. • Available in black finish, add -BL suffix to model number.





## Decanter/Airpot Brewer Accessories



### Glass Coffee Decanters

- Choose black or orange.
- Available in 3-packs or 24-packs.



Model 98000/98005 Model 98001/98006

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
98000	24-pack black glass decanters	22" x 16" x 28" (56 cm x 41 cm x 72 cm)	35 lbs. (16 kg)	\$ 158
98001	24-pack orange glass decanters	22" x 16" x 28" (56 cm x 41 cm x 72 cm)	35 lbs. (16 kg)	\$ 158
98005	3-pack black glass decanters	24" x 8" x 15" (61 cm x 21 cm x 38 cm)	5 lbs. (2.3 kg)	\$ 24
98006	3-pack orange glass decanters	24" x 8" x 15" (61 cm x 21 cm x 38 cm)	5 lbs. (2.3 kg)	\$ 24

### Brew Baskets & Filter Papers for Decanter/Airpot Brewers



Model	Description	Ship Weight	List Price
A05911-02K	Brew basket, Plastic, AT-Series and Pour-over brewers	4 lbs. (1.9 kg)	\$ 21
A71619	Brew basket, Stainless steel, B-Series	4 lbs. (1.9 kg)	\$ 95
A06513-04	Filter papers, 12-cup - 1,000 per case	5 lbs. (2.3 kg)	\$ 27
ABB1.5WP	Filter paper, 13 x 5 for 71431 brew basket	9 lbs. (4 kg)	\$ 60
A71431	Gourmet brew basket: B-SAP, B-DAP, B-DGP	4 lbs. (1.9 kg)	\$ 206



Model	Description	Ship Weight	List Price
A12	Fits 12 cup brewers. 4.5" bottom, 2.6" sidewall	6 lbs. (2.7 kg)	\$ 27
A10	Fits 8 cup office brewers. 3" bottom, 3" sidewall	6 lbs. (2.7 kg)	\$ 27
U12	Universal filter. One size fits all. 3.5" bottom, 3.125" sidewall	6 lbs. (2.7 kg)	\$ 27



### Coffee Warmers

- Available in stainless steel or black.
- Multiple configurations available.



Model SW2CR

Model SW3-BL

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
<b>Step-Up Warmers</b>					
SW2CR (Right)	2 warmers	120V / 200W / 1.6A	8" x 8" x 17.25" (20 cm x 20 cm x 44 cm)	8 lbs. (3.6 kg)	\$ 170
SW2CL (Left)	2 warmers	120V / 200W / 1.6A	8" x 8" x 17.25" (20 cm x 20 cm x 44 cm)	8 lbs. (3.6 kg)	\$ 170
SW3	3 warmers	120V / 300W / 2.5A	9" x 8" x 21" (23 cm x 20 cm x 53 cm)	15 lbs. (6.8 kg)	\$ 270
SW3T*	3 warmers	120V / 300W / 2.5A	9" x 8" x 21" (23 cm x 20 cm x 53 cm)	15 lbs. (6.8 kg)	\$ 430
<b>Note:</b> SW2CR(L) warmers line up with Century Brewer Series. • Available in black finish, add -BL to model number. • *SW3T with freshness control timer - consists of 3 step-up warmers with 3 discrete alert timers - all set for 30 minutes, 3 on/off switches, 6 LED's (3 in front, 3 in back).					
<b>Side-By-Side Warmers</b>					
MW2	2 warmers	120V / 200W / 1.6A	2" x 14" x 7" (5 cm x 36 cm x 18 cm)	6 lbs. (2.7 kg)	\$ 100
MR2	2 ranges	120V / 1.33KW / 11A	2" x 14" x 7" (5 cm x 36 cm x 18 cm)	6 lbs. (2.7 kg)	\$ 170
MWR2*	2 warmers, 1 combination*	120V / 765W / 6A	2" x 14" x 7" (5 cm x 36 cm x 18 cm)	6 lbs. (2.7 kg)	\$ 150
<b>Note:</b> Line cord included. • Export voltage 220V, 50, 1 available, add 5%. • *Combination can be used as either a warmer or a range.					



# Decanter/Airpot Brewer Accessories



## Airpots/Airpot Racks/ Condiment Holder

- Airpots allow beverages to maintain their quality and temperature for hours.
- Multiple styles of airpot racks to help customize your beverage station.



Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
<b>Airpots</b>				
<b>70273-C</b>	Case of (6) 2.2L, glass lined, push top airpots. Black push plate.	17" x 13.5" x 20.5" (43 cm x 34 cm x 52 cm)	25 lbs. (11 kg)	\$ 360
<b>70274-C</b>	Case of (6) 2.2L, glass lined, push top airpots. Orange push plate.	17" x 13.5" x 20.5" (43 cm x 34 cm x 52 cm)	25 lbs. (11 kg)	\$ 360
<b>70752-C</b>	Case of (6) 2.2L, glass lined, lever top airpots. Black top.	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	\$ 268
<b>70753-C</b>	Case of (6) 2.2L, glass lined, lever top airpots. Orange top.	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	\$ 268
<b>V223A</b>	Case of (6) 2.2L, glass lined, push top airpots. Black top.	18" x 21" x 14" (46 cm) x (53 cm) x (36 cm)	24 lbs. (11 kg)	\$ 318
<b>AP-3</b>	(1) 3.0L, 101 oz., glass lined, push top airpot. Black top.	11" x 15" x 17" (28 cm x 38 cm x 43 cm)	6 lbs. (3 kg)	\$ 90 each
<b>Note:</b> Airpots are individually boxed in each case.				
<b>Airpot Racks &amp; Complete Systems</b>				
<b>70620</b>	Rack only - 2 inline	16.5" x 8" x 22.5" (42 cm x 20 cm x 57)	7 lbs. (3 kg)	\$ 90
<b>70759</b>	Rack with lever top pots - 2 inline, black	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	21 lbs. (9.5 kg)	\$ 234
<b>70577</b>	Rack only - 2 side by side	9" x 13.5" x 11.5" (23 cm x 34 cm x 29 cm)	6 lbs. (2.7 kg)	\$ 76
<b>70659</b>	Rack with lever top pots - 2 side by side	24.5" x 12.5" x 18.75" (62 cm x 32 cm x 48 cm)	16 lbs. (7.3 kg)	\$ 232
<b>70571</b>	Rack only - 3 pot wide	9" x 20.5" x 11.75" (23 cm x 52 cm x 30 cm)	8 lbs. (4 kg)	\$ 92
<b>70651</b>	Rack with lever top pots - 3 pot wide	29.5" x 12.5" x 27" (75 cm x 32 cm x 69 cm)	27 lbs. (12.3 kg)	\$ 314
<b>70576</b>	2 pot riser	7" x 12" x 11.25" (18 cm x 31 cm x 29 cm)	4 lbs. (2 kg)	\$ 46
<b>70575</b>	3 pot riser	7" x 18.75" x 11.25" (18 cm x 48 cm x 29 cm)	5 lbs. (2.3 kg)	\$ 56
<b>70655</b>	Racks only - (2) inline 2 pot racks	16.5" x 8" x 22.5" (42 cm x 20 cm x 57 cm)	20 lbs. (9 kg)	\$ 254
<b>70652</b>	Racks with 4 lever top pots - 2 inline	23" x 22" x 23" (59 cm x 56 cm x 59 cm)	31 lbs. (14 kg)	\$ 458
<b>70665</b>	Rack only - 4 pot = (2) 2 pot wide racks + (1) 2 pot riser	33.5" x 12.5" x 18.75" (85 cm x 32 cm x 48 cm)	20 lbs. (9 kg)	\$ 220
<b>70758</b>	4 pot rack with (4) lever top pots - (2) 2 pot wide racks + (1) 2 pot riser	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	36 lbs. (16.4 kg)	\$ 436
<b>70663</b>	Rack only - 5 pot = (2) 3 pot wide racks + (1) 3 pot riser + (1) condiment holder	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	26 lbs. (12 kg)	\$ 314
<b>70653</b>	5 pot rack with 5 lever top pots - (2) 3 pot wide racks + (1) 3 pot riser + (1) condiment holder	38.25" x 15.75" x 29.5" (97 cm x 40 cm x 75 cm)	50 lbs. (23 kg)	\$ 648
<b>70657</b>	Rack only - 6 pot = (2) 3 pot wide racks + (1) 3 pot wide riser	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	24 lbs. (11 kg)	\$ 258
<b>70757</b>	6 pot rack with 6 lever top pots - (2) 3 pot wide racks + (1) 3 pot riser	38.25" x 15.75" x 29.5" (97 cm x 40 cm x 75 cm)	49 lbs. (22 kg)	\$ 524
<b>70611</b>	Sign holder. Works with all 2 pot wide and 3 pot wide racks.	12" x 12" x 6" (31 cm x 31 cm x 15 cm)	2 lbs. (1 kg)	\$ 32
<b>Condiment Holder</b>				
<b>70583</b>	Holds 2 cream or sugar canisters or multiple packets in rear compartment.	6.25" x 9.25" x 14" (16 cm x 24 cm x 36 cm)	1 lb. (0.4 kg)	\$ 54





## Digital Satellite Coffee Brewers



### Digital Satellite Coffee Brew Centers

- User friendly walk thru menus.
- Brew into 1-1/2 gallon carriers.



Model BC2E-IT-BL

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
<b>BC2E-IT Twin</b>	Brew capacity: 36 cups/brew cycle, 400 cups/hour	120/240V / 6.2KW / 27A	31" x 18" x 17.75" (79 cm x 46 cm x 45 cm)	110 lbs. (49.9 kg)	\$ 2,720
<b>BC302E-IT Twin</b>	Brew capacity: 12/24/36 cups/brew cycle, 400 cups/hour	120/240V / 6.3KW / 27A	31" x 18" x 17.75" (79 cm x 46 cm x 45 cm)	110 lbs. (49.9 kg)	\$ 3,350
<b>BC301E-IT Single</b>	Brew capacity: 12/24/36 cups/brew cycle, 240 cups/hour	120/240V / 4.1KW / 18A	31" x 9" x 17.75" (79 cm x 23 cm x 45 cm)	66 lbs. (29.9 kg)	\$ 2,290

**Plumbing:** .25" (6.35 mm) water line required. • Export voltage 220V, 50, 1 available, add 5%. All Brew Centers are single phase with 3 wires plus ground.  
 • Stainless steel construction. • Plastic brew funnel standard. Stainless steel brew funnel available, add \$80 to list price. • Black finish available. Add -BL suffix to model number.  
 • Order #412 filters for plastic brew funnel and #514 filters for stainless steel brew funnel.



### Satellite Coffee Brew Centers

- Insulated 1.5 gallon / 36 cup portable carriers (included) with unique locking lid design & carrier safety holder, keeps carrier firmly on brewer.
- Includes a hot water faucet.



Model BC1E



Model BC2E

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
<b>BC1E Single</b>	Brew capacity: 36 cups/brew cycle, 240 cups/hour	120/240V / 4.1KW / 18A	31" x 9" x 17.75" (79 cm x 23 cm x 45 cm)	65 lbs. (29.5 kg)	\$ 1,750
<b>BC2E Twin</b>	Brew capacity: 36 cups/brew cycle, 400 cups/hour	120/240V / 6.2KW / 27A	31" x 18" x 17.75" (79 cm x 46 cm x 45 cm)	105 lbs. (47.6 kg)	\$ 2,400

**Plumbing:** .25" (6.35 mm) water line required. • Export voltage 220V, 50, 1 available, add 5%, all Brew Centers are single phase with 3 wires, plus a ground.  
 • Stainless steel construction. • Plastic brew funnel standard. Stainless steel brew funnel available, add \$80 to list price. • Black finish available, add -BL to model number.  
 • Order filter #412 for plastic brew funnel and filter #514 for stainless steel brew funnel.



### Accessories for Satellite Coffee Brew Centers

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
<b>CAR-1*</b>	1.5 gallon carrier.	n/a	11" x 9" x 9" (28 cm x 23 cm x 23 cm)	15 lbs. (6.8 kg)	\$ 280
<b>SWH*</b>	Single heated stand.	120V / 100W / 0.8A	7.75" x 9" x 9" (20 cm x 23 cm x 23 cm)	8.5 lbs. (3.8 kg)	\$ 170
<b>SWHC*</b>	Single heated stand with carrier.	120V / 100W / 0.8A	18.75" x 9" x 9" (48 cm x 23 cm x 23 cm)	21 lbs. (9.5 kg)	\$ 450
<b>TWH*</b>	Twin heated stand.	120V / 200W / 1.6A	7.75" x 18" x 9" (20 cm x 46 cm x 23 cm)	14 lbs. (6.4 kg)	\$ 240
<b>TWHC*</b>	Twin heated stand with carriers.	120V / 200W / 1.6A	18.75" x 18" x 9" (48 cm x 46 cm x 23 cm)	38 lbs. (17.2 kg)	\$ 820
<b>95161</b>	Twin drip tray.	n/a	.75" x 15" x 5" (2 cm x 38 cm x 13 cm)	3 lbs. (1.4 kg)	\$ 100
<b>95162</b>	Single drip tray.	n/a	.75" x 8" x 5" (2 cm x 20 cm x 13 cm)	2 lbs. (0.9 kg)	\$ 80

\* Black finish available, add -BL suffix to model number.





# Shuttle®/Satellite Coffee Brewers



## Shuttle® Coffee Brewers

- Brew into 1.5-gallon air gap insulated Shuttles®.
- Simple-to-operate brewing control panel offers different brewing capabilities & includes a hot water faucet.



Model P200



Model P400E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
P200E	Single Shuttle® brewer (CS-LL Shuttle® included)	120V / 1750W / 14.6A	26" x 12" x 28" (66 cm x 30 cm x 71 cm)	55 lbs. (25 kg)	\$ 1,500
P300E	Single Shuttle® brewer (CS-LL Shuttle® included)	120/208V / 5000W / 24A 120/240V / 6600W / 28A	29.5" x 11" x 26" (75 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	\$ 1,700
P400E	Dual Shuttle® brewer (2 CS-LL Shuttles® included)	120/208V / 5000W / 24A 120/240V / 6600W / 28A	29.5" x 22" x 26" (75 cm x 56 cm x 66 cm)	100 lbs. (45.4 kg)	\$ 2,500

**Electrical:** Export voltage available, see International guide.



## PrecisionBrew™ Digital Shuttle® Brewers

- Brew into 1.5-gallon air gap Shuttles®, 1.5-gallon Vacuum Insulated Shuttles®, or 3.0L airpots.
- Digitally controlled brewers.



Model PB-330



Model PBVSA-430



Model PBIC-330

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
PB-330	Single, digitally controlled brewer brews into (1) radiant heat, air insulated, 1.5 gallon CS-LL Shuttle® (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 11" x 26" (83 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	\$ 1,898
PB-430	Twin, digitally controlled brewer brews into (2) radiant heat, air insulated 1.5 gallon CS-LL Shuttles® (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	100 lbs. (45 kg)	\$ 2,950
PBVSA-330	Single, digitally controlled brewer brews into (1) vacuum insulated, VS-1.5 Shuttle® (included) without stand.	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 11" x 26" (83 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	\$ 2,322
PBVSA-430	Twin, digitally controlled brewer brews into (2) vacuum insulated, VS-1.5 Shuttles® (included) without stand.	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	100 lbs. (45 kg)	\$ 3,240
PBIC-330	Single, digitally controlled brewer brews into (1) VS-1.5 Shuttle® with stand (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	43.5" x 26.5" x 21.5" (111 cm x 67 cm x 55 cm)	80 lbs. (37 kg)	\$ 2,536
PBIC-430	Twin, digitally controlled brewer brews into (2) VS-1.5 Shuttles® with stands (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	145 lbs. (66 kg)	\$ 4,020

**Electrical:** Export voltage available, see International guide.

### Accessories for Shuttle®/ Airpot Coffee Brewers

Model	Description	Ship Dimen.	Ship Wt.	List Price	Model	Description	Ship Dimen.	Ship Wt.	List Price
CS-LL	1.5 gal. (5.7L) SS Shuttle®	12.5" (32 cm) 10.5" (27 cm) 16.25" (41 cm)	10.5 lbs. (4.7 kg)	\$ 280	AVS-1.5A	1.5 gal. (5.7L) vacuum insulated Shuttle®	17" (43 cm) 15.25" (39 cm) 11" (28 cm)	10 lbs. (4.5 kg)	\$ 428
CW-1*	Warmer for 1.5 gal. (5.7L) Shuttle® (7.5" / 19 cm tall)	12.5" (32 cm) 10.5" (27 cm) 16.5" (42 cm)	5.5 lbs. (2.5 kg)	\$ 142	VS-1.5S	1.5 gal. (5.7L) vacuum insulated Shuttle® with stand attached	25" (64 cm) 12.5" (32 cm) 17" (43 cm)	13 lbs. (5.9 kg)	\$ 472
CS-LL/CW-1*	1.5 gal. (5.7L) SS Shuttle® and warmer for 1.5 gal. (5.7L) Shuttle®	25" (64 cm) 10.5" (27 cm) 16.25" (41 cm)	16 lbs. (7.3 kg)	\$ 410	AVS-1.0A	1.0 gal. (3.8L) vacuum insulated Shuttle®	17" (43 cm) 15.25" (39 cm) 11" (28 cm)	10 lbs. (4.5 kg)	\$ 428
CW-1H*	Taller warmer for 1.5 gal. Shuttle® (11.5" / 29 cm tall)	10" (25 cm) 16" (41 cm) 12" (31 cm)	8 lbs. (3.6 kg)	\$ 242	VS-1.0S	1.0 gal. (3.8L) vacuum insulated Shuttle® with stand attached	25" (64 cm) 12.5" (32 cm) 17" (43 cm)	13 lbs. (5.9 kg)	\$ 472
AP-3	3.0L (101 oz.) airpot	11" (28 cm) 15" (38 cm) 17" (43 cm)	6 lbs. (3 kg)	\$ 90	VS-S	Stand for vacuum insulated Shuttle®	12" (31 cm) 12.5" (32 cm) 16.5" (42 cm)	3.5 lbs. (1.6 kg)	\$ 68

\***Electrical:** 120V, 100W, 1A. Export voltage available, see International guide.







# Shuttle®/Satellite Coffee Brewer Accessories & Options



## Brew Baskets & Filter Papers for Shuttle®/Satellite Coffee Brewers

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
ABB1.5P	Plastic brew basket - Shuttle® brewers	Ships with unit	Ships with unit	\$ 21
ABB1.5SS	Stainless steel brew basket - Shuttle® brewers	Ships with unit	Ships with unit	\$ 106
ABB1.5WP	Filter paper, 13 x 5 for ABB1.5P and SS brew basket	8.5" x 12" x 9" (22 cm x 31 cm x 23 cm)	7 lbs. (3.2 kg)	\$ 60
ABB2.0SS	Gourmet stainless steel brew basket - Shuttle® brewers	Ships with unit	Ships with unit	\$ 131
ABB2.0WP	Filter paper, 14 x 6 for ABB2.0SS	9.5" x 15" x 9.5" (24 cm x 38 cm x 24 cm)	9 lbs. (4.1 kg)	\$ 60



## Options<sup>1</sup> for Shuttle®/Airtop Brewers & PrecisionBrew™ Digital Shuttle® Brewers

Part No	Description	List Price
AOPT 279	120V / 1.8KW / 15A service for Shuttle® brewers	\$ 40
AOPT C29	200/208/240V 1Ph for P300	\$ 252
AOPT C37	200V, 3Ph for P400	\$ 520
AOPT C28	208/240V / 1Ph no neutral for P400	\$ 252
AOPT 21AC	208V / 3Ph for Shuttle® brewers	\$ 326
AOPT 283	230V / 1Ph under 15A for P300	\$ 40
AOPT 281	230V / 1Ph under 15A for P400	\$ 40
AOPT 280	230V / 3Ph under 15A for P400	\$ 666
AOPT C36	240/250V / 1Ph no neutral for P300	n/c
AOPT C30K	Base, extended 12" for P300	\$ 298
AOPT C40K	Base, extended 12" for P400	\$ 298
AOPT C20K	Base, w/ 12" faucet clearance	\$ 240
AOPT C11	Basket, brew 1.5 gal. SS in place of plastic	\$ 74
AOPT C46	Basket, brew 2.0 gal. for P400/300	\$ 30
AOPT 7300	Batch, half for P300	\$ 204
AOPT 73T00	Batch, half for P400	\$ 394
AOPT C44	Bracket, Shuttle® retaining for P300	\$ 38
AOPT C43	Bracket, Shuttle® retaining for P400	\$ 38
AOPT 71C00	Breaker, Vacuum for P400/P300	\$ 402
AOPT 214	Bypass, automatic for P400/300	\$ 102

<sup>1</sup>Note: Option prices in addition to base price.

Part No	Description	List Price
AOPT 120 3	Cord and plug, 120V / 1.8KW / 15A for Shuttle® brewers only	\$ 76
AOPT C32	Element, warmer 130W	\$ 36
AOPT 217	Faucet, hot water mounted on the top panel for Shuttle® brewers	\$ 64
AOPT 216	Faucet, Touch guard for hot water for Shuttle® brewers	\$ 74
AOPT 4400	Feet, Flanged for P400 & P300	\$ 122
AOPT C15	Glass, shatterproof on Shuttle®	\$ 22
AOPT 8	HC-2, Liquid hopper, 5 qts.	\$ 100
AOPT 5	HC-2, Portion control	\$ 198
AOPT 19	Legs, 4" metal for Shuttle® brewers	\$ 38
AOPT C45	Legs, Bolt down adjustable for P400/300	\$ 40
AOPT 47C00	Low Temp No Brew for P400 & P300	\$ 428
AOPT 10-COL	Prison Pkg. for Shuttle® brewers	\$ 138
AOPT C17	Retainer, Filter for 1.5 gallon brew basket for Shuttle® brewers	\$ 48
AOPT C17-2	Retainer, Filter for 2.0 gallon brew basket for Shuttle® brewers	\$ 66
AOPT 196	Sprayhead, sealed for P400/300	\$ 54
AOPT 196T	Sprayhead, sealed for P430/330	\$ 54
AOPT C12	Switch, concealed brew for P400/300	\$ 38
AOPT C18	Switch, hidden master for P400/P300	\$ 36
AOPT C14	Warmer, auto shut off for P400/300	\$ 104

<sup>1</sup>Note: Option prices in addition to base price.



## Filter Papers for Urns, Satellite Coffee Brewers & Iced Tea Brewers

Model	Description	Ship Weight	List Price
718	Fits 3 gal. coffee urns. 18" (45.7 cm) diameter, 6" (15.2 cm) bottom	10 lbs. (4.54 kg)	\$ 75
820	Fits 5-6 gal. coffee urns. 20" (50.8 cm) diameter, 8" (20.3 cm) bottom	14 lbs. (6.354 kg)	\$ 90
923	Fits 9-10 gal. coffee urns. 23" (58 cm) diameter, 8" (20.3 cm) bottom	17 lbs. (7.71 kg)	\$ 110
2511	Fits special 10 gal. coffee urns. 25" (63.5 cm) diameter, 11" (27.9 cm) bottom	20 lbs. (9.07 kg)	\$ 140
412	Fits satellite coffee brewers, iced tea brewers. 12.75" (32.4 cm) diameter, 5" (12.7 cm) bottom	6 lbs. (2.72 kg)	\$ 60
514	Fits satellite coffee brewers, iced tea brewers. 14" (35.6 cm) diameter, 5" (12.7 cm) bottom	7 lbs. (3.18 kg)	\$ 60

Note: Packed 500 per box





# Coffee Urns



Model FE75N



Model FE100N



Model FE200



## Single 3 Gallon Urns

- New solid-state dual water level control.
- New Silicone Fittings - Prevent corrosion, pitting & leakage.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE75N	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph	H: 28.5" (74.5 cm) W: 21.5" (54.6 cm) D: 17.5" (44.5 cm)	75 lbs. (34 kg)	\$ 3,000
FE75N 3 Phase	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 6KW / 15A / 3Ph 120/208V / 4.5KW / 12A / 3Ph		75 lbs. (34 kg)	\$ 3,150
CL75N	Adjustable by-pass, push button agitator, electro-mechanical timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph		75 lbs. (34 kg)	\$ 2,800
<b>Plumbing:</b> .25" (6.35 mm) water line required • <b>Electrical:</b> Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage, 240/380/440 available, add 10% to list price • Stainless steel construction • Order #718 filters • N = new solids state liquid level control system, updated design, silicone grommets, etc.					



## Twin 3 Gallon Urns

- New modern look & user friendly operation.
- New Silicone Fittings - Prevent corrosion, pitting & leakage.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE100N	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 8KW / 34A / 1Ph 120/208V / 6KW / 17A / 1Ph	17.5" (44.5 cm) 28.5" (74.5 cm) 33.5" (85 cm)	100 lbs. (45.4 kg)	\$ 3,580
FE100N 3 Phase		120/240V / 8KW / 20A / 3Ph 120/208V / 6KW / 17A / 3Ph			\$ 3,740
CL100N		Adjustable by-pass, push button agitator, electro-mechanical timer			120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph
Plumbing: .25" (6.35 mm) water line required • Electrical: Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10% to list price • Stainless steel construction. • Order #718 filters • N = New solid state liquid level control system, upgraded design, silicone grommets, etc.					
FE100G*	Gas powered, adjustable by-pass, automatic agitator, solid state timer	32,000 BTU's/hour	37.5" x 19.5" x 31" (95 cm x 49.5 cm x 78.7 cm)	125 lbs. (56.7 kg)	\$ 4,300
Plumbing: .25" (6.35 mm) water line required • Electrical: 120V, 3A • Stainless steel construction • Order #718 filters. Note: *Specify Natural or LP Gas					



## Twin 6 Gallon Urns

- Two brew buttons - This feature allows you to brew either 1 or 2 lbs. of coffee at a time by the push of the 1 or 2 lbs. brew button.
- Automatic refill - Automatically replenishes the urn jacket with fresh water as soon as it starts running low giving you piping hot water on demand.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE200	Adjustable by-pass, automatic agitator, solid state timer. 1 & 2 lbs. brew.	120/240V / 10KW / 42A / 1Ph 120/208V / 7.5KW / 38A / 1Ph	37.5" (95 cm) 19.5" (49.5 cm) 33" (83.8 cm)	130 lbs. (59 kg)	\$ 5,000
FE200 3 Phase		120/240V / 10KW / 24A / 3Ph 120/208V / 7.5KW / 22A / 3Ph		130 lbs. (59 kg)	\$ 5,160
CL200	Adjustable by-pass, push button agitator, electro-mechanical timer, 2 lbs. brew only.	120/240V / 10KW / 42A / 1Ph 120/208V / 7.5KW / 38A / 1Ph		130 lbs. (59 kg)	\$ 4,800
<b>Plumbing:</b> .25" (6.35 mm) water line required • Stainless steel construction. • Order #820 filters. <b>Electrical:</b> Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10% to list price.					





## Coffee Urns & Chinese Hot Tea Urns



Model FE300



Model CH100N



Model MPO303G



### Twin 10 Gallon Urns • Automatic water refill • Brews in 3 pound batches.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE300	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 15KW / 35A / 3Ph 120/208V / 11.5KW / 30A / 3Ph	35" (89 cm) 42" (106.7 cm) 21.5" (54.6 cm)	170 lbs. (77.1 kg)	\$ 6,200

**Plumbing:** .25" (6.35 mm) water line required. **Electrical:** Export voltage 240/380/440 available, add 10% to list price • Stainless steel construction • Order #923 filters



### Chinese Hot Tea Urns • New Silicone Fittings - Prevent corrosion, pitting & leakage.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
CH75N	Single, 3-gallon (11.4L) Electro-Mechanical timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph 120/240V / 6KW / 15A / 3Ph 120/208V / 4.5KW / 12A / 3Ph	H: 28.5" (74.5 cm) W: 21.5" (54.6 cm) D: 17.5" (44.5 cm)	75 lbs. (34 kg)	\$ 2,850
CH100N	Twin, 3-gallon (11.4L) Electro-Mechanical timer	120/240V / 8KW / 34A / 1Ph 120/208V / 6KW / 29A / 1Ph 120/240V / 8KW / 20A / 3Ph 120/208V / 6KW / 17A / 3Ph	H: 28.5" (74.5 cm) W: 33.5" (85 cm) D: 17.5" (44.5 cm)	100 lbs. (45.4 kg)	\$ 3,250

**Plumbing:** .25" (6.35 mm) water line required. • Stainless steel construction • Baskets not included with these models - designed for tea.  
**Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10% to list price.



### MPO Pour-Over Coffee Urns • Able to brew coffee where water lines are not available.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
MPO3	Single, 3 gallon (11.4L)	208V / 2.3KW / 11A / 1Ph 240V / 3KW / 12.5A / 1Ph 240V / 4KW / 9.6A / 3Ph	27.5" x 16" x 17.5" (69 cm x 40.6 cm x 44.5 cm)	50 lbs. (22.7 kg)	\$ 2,210
MPO6	Single, 6 gallon (22.7L)	208V / 3.8KW / 18.2A / 1Ph 240V / 5KW / 20.8A / 1Ph 240V / 5KW / 12A / 3Ph	16" x 17.5" x 32.5" (40.6 cm x 44.5 cm x 82.6 cm)	60 lbs. (27.2 kg)	\$ 2,520
MPO303	Twin, 3 gallon (11.4L)	240V / 5KW / 20.8A / 1Ph 240V / 5KW / 12A / 3Ph	28" x 17.5" x 27.5" (71 cm x 44.5 cm x 69 cm)	80 lbs. (36.3 kg)	\$ 2,900
MPO606	Twin, 6 gallon (22.7L)	208V / 5.3KW / 25.5A / 1Ph 240V / 7KW / 29.2A / 1Ph 240V / 8KW / 19.3A / 3Ph	28" x 17½" x 32½" (71 cm x 44.5 cm x 82.6 cm)	92 lbs. (41.7 kg)	\$ 3,700

**Plumbing:** .25" (6.35 mm) water line required. export voltage 240/380/440 available, add 10%. **Truck board Modification:** Add \$150 to list price.  
**Gas Versions Available:** Specify natural or LP gas & add G to model # ex. MPO3G, MPO3/6 - 13,000 BTU's/Hr., MPO303/606 - 29,000 BTU's/Hr., • Stainless steel construction.



### Options - Coffee Urns

Description	List Price
Double service for Twin Urns, with gauge glass	\$ 470
Double service for Single Urns, with gauge glass	\$ 320
Dual or 1/2 Brew on FE/CL75N, FE/CL100N, FE300	\$ 230
Faucet Extension:	\$ 40
- each additional 1" =	\$ 20
3 Phase wiring	\$ 160
Export voltages 220V, 380V, 440V	ADD 10%
Low water cut off	\$ 100

### Correctional Package - Coffee Urns

	List Price
Single Urn .....	\$ 1,050
Double Urn .....	\$ 1,400

Description	Description
• Legs drilled and tapped for tie down	• Tamperproof screws on control box
• Hot water ready indicator. No temp. gauge	• Low temperature lockout- no brew
• Air agitation stainless steel tubing	• Spray arm not removable w/o tools
• Acrylic gauge glass	• Locking lids (locks not supplied)
• Fixed by-pass valve w/ set screw adjustment	• Hex configuration on all faucet bonnets; removable by tool only
• Thermostat guard box, w/ tamperproof screws	<b>Optional:</b> Hinged Lids





# Coffee Urns



## PrecisionBrew™ Barista Series™ Urns

- PrecisionBrew™ technology gives user complete control over the brew cycle, contact time, and brew temperature.
- Three batch sizes per liner.
- Dual wall, air insulated, electropolished liners hold coffee between 180°F and 185°F.



Model PB-8303E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
PB-8113E	One, 3-gallon (11.4L) liner	8.0KW / 120/208V / 38A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	105 lbs. (48 kg)	\$ 7,544
PB-8103E	Two liners, 3-gallons (11.4L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	145 lbs. (66 kg)	\$ 9,918
PB-8303E	Three liners, 3-gallons (11.4L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	195 lbs. (89 kg)	\$ 16,498



## AMW Midline Heat Exchange Urns

- Freshwater brewing - Water used for brewing is fresh water that is heated in a coiled, nickel-plated, copper heat exchange tube inside the urn. As water passes through the heat exchanger coil it is heated to optimum brew temperature.
- Automatic coffee agitation.
- Half batch/full batch timer.



Model 7413E



Model 7443E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
<b>Single Midline Heat Exchange Urns</b>					
7413E	One, 3-gallon (11.4L) liner	5.5KW / 120/208V / 26A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	90 lbs. (41 kg)	\$ 3,052
7416E	One, 6-gallon (22.7L) liner	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	125 lbs. (57 kg)	\$ 4,158
74110E	One, 10-gallon (38L) liner	15 KW / 120/208V / 72A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	135 lbs. (61 kg)	\$ 5,368
<b>Twin Midline Heat Exchange Urns</b>					
7443E	Two liners, 3-gallons (11.4L) each	6.0KW / 120/208V / 29A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	115 lbs. (52 kg)	\$ 3,540
7446E	Two liners, 6-gallons (22.7L) each	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	155 lbs. (70 kg)	\$ 4,792
74410E	Two liners, 10-gallons (38L) each	15 KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	165 lbs. (75 kg)	\$ 5,844

Electrical: Specify 3 phase if needed. Export voltage available: 240/380/440 Single or 3 Phase. See option chart on page 17 for prices.



## Coffee Urns



### AMW Space Saver Urns

- Insulated body.
- Controls located under body saves space.
- Fresh Water Style: Single and Twin liner models.
- Pump Style: Triple liner models.



Model 8103(E)



Model 8303(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
<b>Single Space Saver Urns</b>					
<b>8113(E)</b>	One, 3-gallon (11.4L) liner	8.0KW / 120/208V / 38A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	105 lbs. (48 kg)	\$ 6,282
<b>8116(E)</b>	One, 6-gallon (22.7L) liner	11.5KW / 120/208V / 55A / 1Ph	42" x 45" x 26" (107 cm x 114 cm x 66 cm)	145 lbs. (66 kg)	\$ 7,244
<b>80110(E)</b>	One, 10-gallon (38L) liner	15KW / 120/208V / 72A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	150 lbs. (68 kg)	\$ 8,682
<b>Twin Space Saver Urns</b>					
<b>8103(E)</b>	Two liners, 3-gallons (11.4L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	145 lbs. (66 kg)	\$ 8,268
<b>8106(E)</b>	Two liners, 6-gallons (22.7L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	195 lbs. (89 kg)	\$ 9,154
<b>81010(E)</b>	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	210 lbs. (95 kg)	\$ 9,834
<b>Triple Space Saver Urns</b>					
<b>8303(E)</b>	Three liners, 3-gallons (11.4L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	195 lbs. (89 kg)	\$ 13,750
<b>8306(E)</b>	Three liners, 6-gallons (22.7L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	240 lbs. (109 kg)	\$ 15,322
<b>83010(E)</b>	Three liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	275 lbs. (125 kg)	\$ 17,374
<b>Electrical:</b> Specify 3 phase if needed. Export voltage available: 240/380/440 Single or 3 Phase. See option chart on page 17 for prices.					



### AMW Tamper Resistant Urn (High Volume)

- No exposed fasteners.
- All components under lock and key.
- Permanent filter baskets: No filter papers needed.
- High speed brewing: two independent brew heads.



Model 67710(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
<b>67710(E)</b>	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	275 lbs. (125 kg)	\$ 12,678



### AMW High Speed High Volume Urn

- Simultaneous two side brewing.
- Low water cutoff.
- Automatic air agitation.
- Pump style urn.



Model 87710(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
<b>87710(E)</b>	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	220 lbs. (100 kg)	\$ 12,720





# Coffee Urns & Options



## AMW Banquet Brewing Systems

- Coffee brewing and holding urn systems consisting of one or two high speed automatic coffee brewing urns of twin 10-gallon coffee capacity and a holding urn with multiple dispensing faucets.
- As little as 200 or up to 4,000 cups of coffee may be brewed and held at any one time ready for serving.



Model AMV-60(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
AMV-60(E)	60-gallon (227L) capacity One 40-gallon (151L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	2 skids: 42" x 27" x 41" (107 cm x 69 cm x 104 cm) 43" x 27" x 54" (109 cm x 69 cm x 137 cm)	460 lbs. (209 kg) ships in 2 containers	\$ 18,390
AMV-80(E)	80-gallon (303L) capacity One 60-gallon (227L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	60.5" x 42" x 29" (154 cm x 107 cm x 74 cm)	480 lbs. (218 kg) ships in 2 containers	\$ 19,446
AMV-120(E)	120-gallon (454L) capacity One 80-gallon (303L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	56.25" x 65" x 29" (143 cm x 165 cm x 74 cm)	690 lbs. (313 kg) ships in 3 containers, 2 skids	\$ 33,882
AMV-160(E)	160-gallon (606L) capacity One 120-gallon (454L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	67" x 65" x 29" (170 cm x 165 cm x 74 cm)	715 lbs. (324 kg) ships in 3 containers, 2 skids	\$ 35,434



## AMW Urn Options

Description	List Price
208V / 3Ph	\$ 326
208/240V / 3Ph	\$ 354
380/480V / 3Ph / 3W	\$ 590
380V / 3Ph for export midline urns	\$ 578
480V / 3Ph / 3W for AMV 60/80	\$ 590
480V / 3ph / 3W for AMV 120/160	\$ 892
Box left	n/c
Breaker, Vacuum for urns	\$ 402
Cord and plug, 120V / 15A / 14 AWG for urns only	n/c
Cover, control	\$ 300
Feet, bullet, drilled and tapped for all urns	\$ 64
Feet, Flanged for urns	\$ 120
Jug fill, gravity	\$ 498
Jug fill, high speed for AMV systems	\$ 2,798
Jug fill, high speed for space saver urns	\$ 3,436
Jug fill, high speed right side for triple space saver urns	\$ 5,600

Description	List Price
Legs, higher for urns specify size	\$ 140
Low Temp No Brew	\$ 428
Overfill protection for 40 and 60 gallon holding tanks	\$ 878
Overfill protection for 80 and 120 gallon holding tanks	\$ 1,134
Prison Pkg.	\$ 910
Service, double for midline and space saver urns	\$ 772
Service, double no gauges	\$ 628
Service, double no gauges for 87710	\$ 1,438
Service, double no gauges single midline and space saver urns	\$ 446
Service, double single midline urns 3 gallon	\$ 550
Service, triple midline and space saver urns	\$ 988
Service, triple, no gauges for midline and space saver urns	\$ 810
Shank, extension	\$ 142
Spout, extension	\$ 58
Transformer for freshwater urns 2 wire	\$ 152
Transformer for pump urns 2 wire	\$ 306





## Coffee Urn & Accessories



### Brew Baskets and Filter Papers for Urns

Model	Description	List Price
<b>3 Gallon Urn Brew Baskets and Filter Papers</b>		
<b>ABB3</b>	Brew basket, 3 gal. urn	\$ 91
<b>ABB3WP</b>	Filter paper, 3 gal. urn	\$ 75
<b>ABB3-1.5</b>	Brew basket, 1/2 batch, 3 gal. urn	\$ 119
<b>ABB2.0WP</b>	Filter paper for ABB3-1.5	\$ 60
<b>A#153</b>	Brew basket, permanent SS screen, 3 gal. urn	\$ 195

Model	Description	List Price
<b>6 Gallon Urn Brew Baskets and Filter Papers</b>		
<b>ABB6</b>	Brew basket, 6 gal. urn	\$ 121
<b>ABB6WP</b>	Filter paper, 6 gal. urn	\$ 90
<b>ABB6-3</b>	Brew basket, 1/2 batch, 6 gal. urn	\$ 144
<b>ABB3WP</b>	Filter paper for ABB6-3	\$ 75
<b>A#156</b>	Brew basket, permanent SS screen, 6 gal. urn	\$ 208
<b>10 Gallon Urn Brew Baskets and Filter Papers</b>		
<b>ABB810</b>	Brew basket, 10 gal. urn	\$ 136
<b>ABB6WP</b>	Filter paper for ABB810-6	\$ 90
<b>ABB810-6</b>	Brew basket - 1/2 batch, 10 gal. urn	\$ 161
<b>ABB810WP</b>	Filter paper, 10 gal. urn	\$ 140
<b>A#158</b>	Brew basket permanent SS screen, 10 gal. urn	\$ 261



# Hot Water Boilers & Dispensers



## ME & CME (Chinese label) Water Boilers

- Automatic refill system.
- Precision multi-setting thermostat with hold setting.



Model ME10EN

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
ME10EN CME10EN	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	\$ 1,450
ME15EN CME15E	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	\$ 1,750
ME10GNE CME10GNE	Gas with electric, 10-gallon (37.8L)	32" x 17.5" x 19.75" (81 cm x 44.5 cm x 50 cm)	50 lbs. (22.7 kg)	\$ 1,950
ME15GNE CME15GNE	Gas with electric, 15-gallon (56.8L)	37.5" x 17.5" x 19.75" (95 cm x 44.5 cm x 50 cm)	62 lbs. (28.1 kg)	\$ 2,250
ME10G CME10G	Gas, 10-gallon (37.8L)	32" x 17.5" x 19.75" (81 cm x 44.5 cm x 50 cm)	50 lbs. (22.7 kg)	\$ 1,850
ME15G CME15G	Gas, 15-gallon (56.8L)	37.5" x 17.5" x 19.75" (95 cm x 44.5 cm x 50 cm)	62 lbs. (28.1 kg)	\$ 2,100

**Electrical:** Specify voltage, 120V, 1.8KW; 208V, 5.3KW; 240V, 7KW, 1Ph, export voltage 240/380/440 available, add 10%. • **Gas models:** specify natural or LP gas, 12,000 BTU's/Hr. **Plumbing:** .25" (6.35 mm) water line required • Specify ME or CME (chinese label) • N = new solid state liquid level control system, updated design, silicone grommets, etc.



## Hot Water Dispensers

- Instant automatic water refill
- Energy efficient system - Keeps water temperature constant every time.



Model HWD5PC-BL



Model HWD2

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
HWD2	2-gallon (7.6L)	20" x 9.25" x 21.25" (51 cm x 23.5 cm x 54 cm)	24 lbs. (10.9 kg)	\$ 880
HWD3	3-gallon (11.4L)	24" x 9.25" x 21.25" (61 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	\$ 1,050
HWD3PC	3-gallon (11.4L) with portion control	24" x 9.25" x 21.25" (61 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	\$ 1,290
HWD5	5-gallon (18.9L)	30" x 9.25" x 21.25" (76 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	\$ 1,320
HWD5PC	5-gallon (18.9L) with portion control	30" x 9.25" x 21.25" (76 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	\$ 1,560

**Plumbing:** .25" (6.35 mm) water line required • **Electrical:** Line cord included; HWD2/3/3PC: 120V, 18.KW, 15A, 240V, 3 KW, 20A; HWD5/5PC: 120V, 18.KW, 15A, 240V, 6.6 KW, 30A; export voltage 220V, 50, 1 available, add 5% list price. • Stainless steel construction • 2" legs optional, add \$50 list price • Black finish available, add -BL suffix to model number.



## Portable Coffee Holding Urns, Portable Hot Water Boilers



Model CS113

Model	Description	Dimensions (H x Diameter)	Ship Weight	List Price
CS113	3 gallon (11.4L)	21.5" x 11" diameter (54.6 cm x 28 cm)	15 lbs. (6.8 kg)	\$ 750
CS115	5 gallon (18.9L)	27.5" x 11" diameter (70 cm x 28 cm)	18 lbs. (8.2 kg)	\$ 850

**Electrical:** 120V, 1.4KW, 11.6A Line cord included • Stainless steel construction.





# Espresso Machines



## Espressimo® Espresso Machines

- Quick recovery - maximum capacity use in high volume accounts.
- Touchpads to dispense preset portions of espresso.
- Separate steam and water systems.
- Includes kit #2 (listed below).



Model 1750



Model 2450Q

Model	Description	# of Heads	Electrical	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
1750	1 Steam Wand	1 Group	120V / 2040W / 17A REQUIRES 20A PLUG RECEPTACLE	20.25" x 14.25" x 17.5" (51 cm x 36 cm x 44 cm)	22.5" x 23" x 18.75" (57 cm x 58 cm x 48 cm)	85 lb. (38.25 kg)	\$ 6,600
2450	2 Steam Wand	2 Group	120V / 2040W / 17A REQUIRES 20A PLUG RECEPTACLE	20.25" x 18.75" x 17" (51 cm x 48 cm x 43 cm)	23" x 22" x 23" (58 cm x 56 cm x 58 cm)	105 lb. (47 kg)	\$ 8,000
2450Q	2 Steam Wand	2 Group	120/230V / single phase / 15A	20.25" x 18.75" x 17" (51 cm x 48 cm x 43 cm)	23" x 22" x 23" (58 cm x 56 cm x 58 cm)	105 lb. (47 kg)	\$ 8,200

**Boiler Size:** 2 gal. (7.6L) **Installation Package:** Includes in-line water filter, part OPTESP, add \$900 to list price.

**Note:** In-line water filter must be installed for warranty to be in effect. Does not include Barista Training.

## Espressimo® Espresso Machine Accessories

Model	Features	Specifications	List Price
60254	• <b>Carbon filter cartridge</b> - Filters out impurities and softens the water. Reduces mineral build-up that can damage your machine.	• Material: High impact heavy gauge plastic • Dim (HxWxD): .25" x 9.25" x 5.5" (.6 cm x 23 cm x 14 cm) • Ship dim (HxWxD): 16.25" x 12.75" x 6.75" (41 cm x 32 cm x 17 cm) (for filter housing)	\$ 14
60220	• <b>Dump box</b> - Provides the ideal place to discard used coffee grounds.	• Material: 18/18 stainless steel w/thick rubber cross bar • Size (HxWxD): 2.5" x 10.38" x 6.38" (6 cm x 26 cm x 16 cm)	\$ 54
60207	• <b>Espresso machine cleaner</b> - One packet of cleaner is all you need to back wash each group head once a week.	• Box contains 100 single use packets	\$ 30
60206	• <b>Filter system</b> - Includes housing and 2 cartridges (carbon filter and water softener).	• Ship Dim (HxWxD): 16.75" x 16.75" x 16.75" (43 cm x 43 cm x 43 cm)	\$ 188
60112	• <b>Hand tamper</b> - Perfect for flattening and leveling the bed of ground coffee in your filter holder.	• Material: Black high impact plastic • Size: 3" long w/ 2" D and 2.5" ends • Unit: one	\$ 12
60201	• <b>Kit #1</b> - Includes the following: dump box, steam pitcher, measuring spoon, tamper and cleaner.	• Ship dim (HxWxD): (one carton) • 9.25" x 8.5" x 9.5" (23 cm x 22 cm x 24 cm)	\$ 118
60205	• <b>Kit #2</b> - Includes the following: water filter/softening system, dump box, steam pitcher, measuring spoon, tamper and cleaner.	• Ship dim: (HxWxD) (one carton) • 22" x 14.5" x 10.5" (56 cm x 37 cm x 27 cm)	\$ 294
60113	• <b>Measuring spoon</b> - Stainless steel measuring spoon holds 7 grams of coffee.	• Material: Stainless steel • Size: 7 grams • Unit: one	\$ 8
63174	• <b>Pump system</b> - Provides 60 PSI from any size container. • <b>Light/buzzer</b> - warns when pump is dry. • <b>Plumbing</b> - .25" flare outlet, 3/8" barbed inlet.	• 115V / 1.5A (Draws 1.3A) • Ship weight: 13 lb. (5.9 kg) • Dim (HxWxD): 11.25" x 17" x 5.25" (29 cm x 43 cm x 13 cm) • Ship dim (HxWxD): 12.5" x 20" x 7.25" (32 cm x 51 cm x 18 cm)	\$ 312
60208	• <b>Steam pitcher (20 oz. / 0.6L)</b> - This top quality pitcher is a must for steaming and frothing milk.	• Material: 18/10 stainless steel Size: 20 oz. / 0.6L; Unit: one	\$ 26
60247	• <b>Steam pitcher (32 oz. / 1L)</b> - This top quality pitcher is a must for steaming and frothing milk.	• Material: 18/10 stainless steel Size: 32 oz. / 1L; Unit: one	\$ 34
60253	• <b>Water softener cartridge</b>	• Material: High impact heavy gauge plastic • Dim (HxWxD): .25" x 9.25" x 5.5" (.6 cm x 23 cm x 14 cm) • Ship dim (HxWxD): 16.25" x 12.75" x 6.75" (41 cm x 32 cm x 17 cm)	\$ 42



# Espresso Machines



## Venezia II Espresso Machines and Steamer

- Dispense in automatic or semi automatic mode.
- Touch pad control panel.
- Makes single or double espresso; 1 or 2 cups at a time.
- Double gauge for boiler & pump pressure control.



Model ESP-220

Model	Description	# of Heads	Boiler Size	Cups / Hr.*	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
ESP1-110V	Automatic / Semi Automatic	1 Group	6 qts. (5.67L)	240	20.31" x 21.56" x 21.5" (52 cm x 55 cm x 55 cm)	120V / 2KW / 18A	106 lbs. (48 kg)	\$ 4,850
ESP1-220V	Automatic / Semi Automatic	1 Group	6 qts. (5.67L)	240	20.31" x 21.56" x 21.5" (52 cm x 55 cm x 55 cm)	240V / 2.5KW / 10A	106 lbs. (48 kg)	\$ 5,100
ESP2-220V	Automatic / Semi Automatic	2 Group	13 qts. (12.3L)	480	28.38" x 21.56" x 21.5" (72 cm x 55 cm x 55 cm)	240V / 4.7KW / 20A	147 lbs. (67 kg)	\$ 5,800
ESP3-220V	Automatic / Semi Automatic	3 Group	19 qts. (18L)	720	37.88" x 21.56" x 21.5" (96 cm x 55 cm x 55 cm)	240V / 6.5KW / 27A	185 lbs. (84 kg)	\$ 7,400
ST220V	Steamer	N/A	6 qts. (5.67L)	N/A	19.38" x 21.81" x 22.75" (49 cm x 55 cm x 58 cm)	240 / 3.1KW / 13A	88 lbs. (40 kg)	\$ 4,250

**Plumbing:** .5" (12.7 mm) pipe fitting connection required. **Electrical:** Line cord included, WITHOUT plug. \* Demi Tasse Cups.

**Heating Element:** ESP1-110V = 1.5KW, ESP1-220V = 2KW, ESP2-220V = 4KW, ESP3-220V = 6KW, ST220V = 3KW.

**Accessories:** Two & one cup filter holder assemblies & hoses are included with all espresso machines. Steamers include hoses.

**Installation Package:** Includes in-line water filter, part OPTESP, add \$900 to list price.

**Note:** In-line water filter must be installed for warranty to be in effect. Does not include Barista Training



## Venezia Espresso Machines

- Touch pad control panel.
- Makes single or double espresso; 1 or 2 cups at a time.
- Built-in motor pump.



Model VAE3

Model	Description	# of Heads	Boiler Size	Cups / Hr.*	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
VAEJ1	Automatic / Semi Automatic	1 Group	5 qts. (4.75L)	240	14" x 21" x 20" (36 cm x 53 cm x 51 cm)	120V, 2KW, 17A	135 lbs. (61 kg)	\$ 6,600
VAE1	Automatic / Semi Automatic	1 Group	6 qts. (5.67L)	240	19.5" x 21" x 20" (49.5 cm x 53 cm x 51 cm)	120V, 2KW, 17A	150 lbs. (68 kg)	\$ 7,800
VAE2	Automatic / Semi Automatic	2 Group	11 qts. (10.4L)	480	27.5" x 21" x 20" (70 cm x 53 cm x 51 cm)	120V, 2.6KW, 22A	200 lbs. (91 kg)	\$ 10,000
VAE22	Automatic / Semi Automatic	2 Group	11 qts. (10.4L)	480	27.5" x 21" x 20" (70 cm x 53 cm x 51 cm)	240V, 5KW, 21A	200 lbs. (91 kg)	\$ 10,000
VAE3	Automatic / Semi Automatic	3 Group	18 qts. (17L)	720	37" x 21" x 20" (94 cm x 53 cm x 51 cm)	240V, 3.7KW, 16A	250 lbs. (113 kg)	\$ 12,100
VSE1	Semi Auto	1 Group	6 qts. (5.67L)	240	19.5" x 21" x 20" (49.5 cm x 53 cm x 51 cm)	120V, 2KW, 17A	150 lbs. (68 kg)	\$ 5,900
VSE22	Semi Auto	2 Group	11 qts. (10.4L)	480	27.5" x 21" x 20" (70 cm x 53 cm x 51 cm)	240V, 5KW, 21A	170 lbs. (77 kg)	\$ 7,800

**Plumbing:** .375" (9.5 mm) pipe fitting connection & minimum water pressure of 30 psi required. **Electrical:** Line cord included, WITHOUT plug.

**Heating Element:** VAEJ1/VAE1/VSE1 = 2KW, VAE2 = 2.6KW, VAE22/VSE22 = 4KW, VAE3 = 3.7KW. \* Demi Tasse Cups.

**Accessories:** Two & one cup filter holder assemblies & hoses are included with all espresso machines.

**Installation Package:** Includes in-line water filter, part OPTESP, add \$900 to list price.

**Note:** In-line water filter must be installed for warranty to be in effect. Does not include Barista Training.







## Espresso Grinders



### Venezia Espresso Grinders

- Micro "Grind Control" Adjustment - An exclusive adjustment system that gives the operator infinite control over grind settings. No more preset "clicks" for grind settings.
- Cast aluminum frame – Insures perfect grind head alignment.
- Stroke counter – Indicates the number of cups of espresso that had been served.



Model VGA

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
VGT	Espresso grinder with manual timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1600 rpm	120V / 350W / 2.9A	23.5" H (59.69 cm) 7.75" W (19.69 cm) 10.5" D (26.67 cm)	31 lbs. (14 kg)	\$ 1,350
VGA	Espresso grinder with automatic timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1600 rpm	120V / 350W / 2.9A		31 lbs. (14 kg)	\$ 1,690
VGHDA	Heavy duty espresso grinder with automatic timer. Grinding blades: 3.25" (8.3 cm) dia. Grinding speed: 1600 rpm	120V / 650W / 5.4A	25.4" H (64.52 cm) 8.75" W (22.22 cm) 11.5" D (29.21 cm)	44 lbs. (20 kg)	\$ 2,370

**Note:** Electrical line cord included, NEMA plug 5-15P • **Espresso bean capacity:** VGT & VGA - 2.7 lbs. (1.2 kg), VGHDA - 4 lbs. (1.8 kg) • **Dose adjustment:** 5.5g - 9g  
 • **Ground espresso container capacity:** VGT & VGA - 0.6 lbs. (0.3 kg), VGHDA - 0.8 lbs. (0.4 kg) • **HP:** VGT & VGA - 1/2 hp, VGHDA - 1 hp



### Venezia II Espresso Grinder

- Micro "Grind Control" Adjustment - An exclusive adjustment system that gives the operator infinite control over grind settings. No preset "clicks" for grind settings.
- Cast aluminum frame – Insures perfect grind head alignment.



Model HC-600

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
HC-600	Espresso grinder with manual timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1550 rpm	120V / 350W / 3A	22" (55.88 cm) 8.5" (21.59 cm) 13" (33 cm)	31 lbs. (14 kg)	\$ 940

**Note:** Electrical line cord included, NEMA plug 5-15P • **Espresso bean capacity:** VGT & VGA - 2.7 lbs. (1.2 kg), VGHDA - 4 lbs. (1.8 kg) • **Dose adjustment:** 5.5g - 9g  
 • **Ground espresso container capacity:** .6 lbs. (.27 kg) • **HP:** .5



## Liquid Coffee Dispensers



### Liquid Coffee Dispensers

- Operator portion override button for large volume dispenses.
- Thermal electric cooled product compartment on LCD-2R.
- Digital controls for set-up and calibration.



Model LCD-2R

Model	Bag-In-Box Capacity	Water Tank Capacity	Dispense Ratio	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
<b>LCD-2R (chilled)</b>	Two .5 gal. (1.9L) One 1 gal. (3.8L)	4 gal. (15L)	15:1 up to 50:1	32.5" x 13" x 26" (83 cm x 104 cm x 66 cm)	120V / 1.65KW / 15A	105 lbs. (48 kg)	\$ 4,560
<b>LCD-2A (ambient)</b>	Two .5 gal. (1.9L) One 1 gal. (3.8L)	4.5 gal. (15L)	15:1 up to 50:1	31" x 13" x 26" (79 cm x 104 cm x 66 cm)	208/240V / 6.6W / 30A	105 lbs. (48 kg)	\$ 3,400

**Water Connector:** .375" (9.5 mm) male flare, connect to a .375" (9.5 mm) I.D. or larger supply line. A shut-off valve should be installed in the line before the unit.

**Total Brewing Capacity:** 5 gal./19L per hr. (120V units), 20 gal./76L per hr. (208/240V units) - assume 55°F/13°C inlet temp.

**Notes:** Dispense up to 320 8oz.(237 ml) cups per hour (based on 55°F/13°C water inlet).



### Liquid Coffee Dispenser

- Makes it easy to dispense delicious full-bodied coffee.
- 3 dispense options - Regular, decaf and hot water.
- Stainless steel finish.



Model JAVA 2LC

Model	Display Type	2 Channel Box Capacity	Water Tank Capacity	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
<b>JAVA 2LC</b>	Non-Lit	540 gr. (19.1 oz.)	3.7 gal. (14L)	31" x 14.125" x 23.5" (79 cm x 36 cm x 60 cm)	120V / 1.5KW / 15A 220V / 3KW / 15A* 120/240V / 6KW / 25A*	75 lbs. (34 kg)	\$ 3,200

**Plumbing:** .25" (6.35 mm) water line required. **Electrical:** 120V, 1.5KW, 15A, line cord Nema plug 5-15R standard. **Finish:** Stainless steel.

**\*Electrical Options:** add \$300 to list price, export voltage 220 available, add 5%. **Burst Capacity:** 1.5KW = 58, 3KW = 140, 6KW = 200, based on 6 oz.cups.

**Note:** 800 (6oz./177 ml) cups dispensed per 2 channel box. Specifications subject to change without notice.



## Soluble Beverage Dispensers



### Soluble Coffee Dispensers

- High performance - Dispense coffee on demand to meet the needs of high volume locations.
- Operator friendly - Adjustable settings via digital LCD controls in front.
- Simple service access.
- Product hopper can hold enough product for 37 gal.(140L) of delicious coffee.



Model FDD 2500-1-M-B

Model	Description	Tank Cap.	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
FDD 2500-1-M-B Manual	Coffee pull-handle with manual actuation	7.5 gal. (28.4L)	34-35" (adj.) x 17.25" x 24.75" (87-89 cm x 44 cm x 63 cm)	37.5" x 25" x 26.375" (95 cm x 64 cm x 67 cm)	135 lbs. (61 kg)	\$ 5,776
FDD 2500-3-M-B Manual	Coffee pull-handle with manual actuation	7.5 gal. (28.4L)	34-35" (adj.) x 17.25" x 24.75" (87-89 cm x 44 cm x 63 cm)	37.5" x 25" x 26.375" (95 cm x 64 cm x 67 cm)	135 lbs. (61 kg)	\$ 5,776
FDD 2500-1-3A-B Portion Control	Touchpad dispense with 3 portion sizes per head	7.5 gal. (28.4L)	34-35" (adj.) x 17.25" x 24.75" (87-89 cm x 44 cm x 63 cm)	37.5" x 25" x 26.375" (95 cm x 64 cm x 67 cm)	135 lbs. (61 kg)	\$ 5,776
FDD 2500-3-3A-B Portion Control	Touchpad dispense with 3 portion sizes per head	7.5 gal. (28.4L)	34-35" (adj.) x 17.25" x 24.75" (87-89 cm x 44 cm x 63 cm)	37.5" x 25" x 26.375" (95 cm x 64 cm x 67 cm)	135 lbs. (61 kg)	\$ 6,056
Accessories						
Jug fill adapter #63402	Fill large (5 gal. / 19L) containers with coffee	n/a	ships with unit			\$ 160
<b>Electrical:</b> FDD 2500-1-M-B, FDD 2500-1-3A-B - 120/240V, 6.6KW, 28A, 120/208V, 5KW, 24A (1 phase); FDD 2500-3-M-B, FDD 2500-3-3A-B - 120/240V, 1.11KW, 26.8A, 120/208V, 8.34KW, 23.2A (3 phase). <b>Number Of Heads:</b> 2 coffee + 1 hot water. <b>Dispense Rate:</b> 2.2 oz. (65 ml) per second. <b>Notes:</b> Units allow for dispensing into individual cups, 64 oz. (1.9L) decanters, 44 oz. (1.3L) servers, and 74 oz. (2.2L) airpots.						



# Soluble Beverage Dispensers



## Soluble Coffee Dispensers

- Adjustable product strength – Product strength can be quickly adjusted by the turn of a dial.
- Fast Flow – Dispenses 30% faster, reducing wear and tear on major components.



Model Java Giant 2



Model Java 2 QB-D3



Model Java 2QB

Model	Series	Number of Hoppers & Capacity <sup>3</sup>	Electrical	Tank Cap.	Burst Cap. <sup>2</sup>	Dimensions (H x W x D)	Ship Weight	List Price
<b>High Volume Soluble Coffee Dispensers</b>								
Java Jr-PC-HP	High Volume	Two 2 lbs. (Two 1 kg)	208V, 4KW, 19A, 1Ph; 208V, 8KW, 38A, 1Ph <sup>1</sup> ; 208V, 12KW, 58A, 1Ph <sup>1</sup>	6 gal. (22.7L)	98	33" x 11" x 22" (84 cm x 28 cm x 56 cm)	90 lbs. (41 kg)	\$ 4,300
Java Self Serve	High Volume	Two 2 lbs. (Two 1 kg)	120V, 1.8KW, 15A, 1Ph	3 gal. (11.3L)	62	31" x 11" x 22" (79 cm x 28 cm x 56 cm)	90 lbs. (41 kg)	\$ 4,300
Java Giant 2	High Volume	Two 3 lbs. (Two 2.5 kg)	230V, 6KW, 26A, 1 Ph 230V, 9KW, 39A, 1Ph <sup>1</sup>	8.5 gal. (32.1L)	150	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	\$ 4,900
Java Giant 3	High Volume	Three 3 lbs. (Three 2.5 kg)	230V, 18KW, 78A, 1Ph <sup>1</sup> 230V, 18KW, 45A, 3Ph <sup>1</sup>	12 gal. (45.4L)	225	40.5" x 20.37" x 24.25" (103 cm x 52 cm x 62 cm)	195 lbs. (88 kg)	\$ 5,900
<b>Decanter/Cup Soluble Coffee Dispensers</b>								
Java 2 QB-D w/1 Dispense Head	Soluble	Two 14 oz. (Two .4 kg)	120V, 1.7KW, 15A 240V, 3.8KW, 20A	1 gal. (3.7L)	24	22" x 8" x 17" (56 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	\$ 2,300
Java 2 QB-D1 w/1 Dispense Head	Soluble	Two 14 oz. (Two .4 kg)		1 gal. (3.7L)	24	22" x 8" x 17" (56 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	\$ 2,300
Java 2 QB-D2 w/1 Dispense Head	Soluble	Two 14 oz. (Two .4 kg)		1 gal. (3.7L)	24	23.5" x 8" x 17" (60 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	\$ 2,350
Java 2 QB-D3 w/1 Dispense Head	Soluble	Two 14 oz. (Two .4 kg)		1 gal. (3.7L)	24	23.5" x 8" x 17" (60 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	\$ 2,360
Java 2 QB-DC w/2 Dispense Heads	Soluble	Two 14 oz. (Two .4 kg)	120V, 1.5KW, 15A 240V, 3.5KW, 20A	1 gal. (3.7L)	24	22" x 8" x 17" (56 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	\$ 2,620
<b>Satellite Soluble Coffee Dispenser</b>								
Java 2QB	Soluble	Two 2 lbs. (Two 1 kg)	120V, 1.5KW, 15A 240V, 3.5KW, 20A	3.8 gal. (14.3L)	78	34.5" x 10" x 19.37" (88 cm x 25 cm x 49 cm)	75 lbs. (34 kg)	\$ 2,700

Plumbing: .25" (6.35 mm) water line required. Electrical: Export voltage 220 available, add 5%; <sup>1</sup>Electrical Option: add \$300 to list price. <sup>2</sup>Burst Cap. based on 6 oz. cups. <sup>3</sup>Coffee: 2 & 3 lbs. (1 kg & 1.36 kg) hoppers are equivalent to 5.5 lbs. (2.5 kg) and 8 lbs. (3.63 kg) cappuccino hoppers. Finish: Stainless steel. Note: non-lit door. Number Of Warmers: Java 2 QB-D - 0, Java 2 QB-D1 - 1, Java 2 QB-D2 - 2, Java 2 QB-D3 - 3, Java 2 QB-DC - 0.



## Digital Soluble Coffee / Cappuccino Dispensers

- Product integrity guaranteed – Individual product hoppers & dispense chambers prevent mixing of different products.



Model JAVACCINO3-IT-3PC

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap. <sup>1</sup>	Dimensions (H x W x D)	Ship Weight	List Price
JAVA2-IT	Soluble	Two 2 lbs. <sup>2</sup> (Two 1 kg)	2.2 gal. (8.3L)	42	34" x 9" x 22" (86 cm x 23 cm x 56 cm)	60 lbs. (27 kg)	\$ 2,400
JAVACCINO3-IT	Soluble	One 2 lbs. <sup>2</sup> & Two 5.5 lbs. <sup>3</sup> (One 1 kg & Two 2.5 kg)	3.2 gal. (12.1L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	92 lbs. (42 kg)	\$ 2,930
JAVACCINO3-IT-3PC <sup>4</sup>	Soluble	One 2 lbs. <sup>2</sup> & Two 5.5 lbs. <sup>3</sup> (One 1 kg & Two 2.5 kg)	3.2 gal. (12.1L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	92 lbs. (42 kg)	\$ 2,930
JAVACCINO4-IT	Soluble	Two 2 lbs. <sup>2</sup> & Two 5.5 lbs. <sup>3</sup> (Two 1 kg & Two 2.5 kg)	4.2 gal. (15.8L)	78	34" x 14" x 22" (86 cm x 36 cm x 56 cm)	110 lbs. (50 kg)	\$ 3,500

Plumbing: .25" (6.35 mm) water line required. Electrical: 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. <sup>1</sup>Burst Capacity: Based on 6. oz. cups. <sup>2</sup>Coffee: 2 lb. (1 kg) hoppers are equivalent to 5.5 lbs. (2.5 kg) cappuccino hopper. <sup>3</sup>Standard 5.5 lb. (2.5 kg) cappuccino hopper. <sup>4</sup>Triple Portion Control: 3PC, dispenses small, medium, & large sizes. Finish: Black.





## Hot Food Dispensers & Syrup Warmers



### Hot Food Dispensers

- Dispense mashed potatoes, barley, oatmeal, or grits.
- Specifically designed for the unique characteristics of hot food products.



Model JAVA1MP



Model JAVA2MP

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Dimensions (H x W x D)	Ship Weight	List Price
<b>Single Dispense</b>						
<b>JAVA1MP (non-lit door)</b>	Hot Food	One 14 lbs. (One 6.4 kg)	3 gal. (11.4 L)	46" x 8.5" x 24.25" (117 cm x 22 cm x 62 cm)	75 lbs. (34 kg)	\$ 3,400
<b>Dual Dispense</b>						
<b>JAVA2MP (non-lit door)</b>	Hot Food	Two 14 lbs. (Two 6.4 kg)	7.5 gal. (28.4 L)	46" x 14" x 24.25" (117 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	\$ 3,800

**Notes:** Plumbing: .25" (6.35 mm) water line required. **Electrical:** Line cord included with JAVA1MP = Nema plug 5-15P & JAVA2MP 26 Amps = Nema plug 6-30P. For units over 30 Amps, line cords are not supplied - must be hard wired. **Finish:** Stainless steel. **Note:** Non-lit door.



### Syrup Warmers

- Hot syrup for pancakes, waffles, or French Toast.
- Maintains syrup at 125°F, so syrup will not crystallize.



Model SD1



Model SD2

Model	Capacity	Electrical	Dimensions* (H x Diameter)	Ship Weight	List Price
<b>SD1</b>	1 gal. (3.8 L)	120V / 53W / .4A	13" x 7.5" (33 cm x 19 cm)	7 lbs. (3 kg)	\$ 300
<b>SD2</b>	2 gal. (7.6 L)	120V / 116W / 1A	17" x 9" (43 cm x 23 cm)	11 lbs. (5 kg)	\$ 420

**Electrical:** Line cord included, 120V. **Body Construction:** Stainless steel. **\*Note:** Depth including faucet, SD1 = 10.5" (27 cm) SD2 = 12" (31 cm).





# Hot Powdered Beverage Dispensers



## Hot Powder Cappuccino, Hot Chocolate, & Specialty Beverage Dispensers

- Large, operator friendly, Clear-View™ hoppers.
- Choice of large, bold, back-lit graphics.
- Direct Drive Hoppers – Self-aligning pin & link hopper drive for durability & easy install.
- Patented safety rib on dispense nozzle & generous cup clearance assures cups don't catch.
- Thermostat adjustable to dispense ambient temperature beverages.



Model PIC1K



Model PIC33A



Model PIC6  
with Island Option

Model	Number of Hoppers & Capacity	Tank Cap.	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
<b>Single Flavor Model</b>						
<b>PIC1K</b>	One 6.5 lbs. (One 3 kg)	1.5 gal. (5.7L)	25.25" x 7" x 22.88" (64 cm x 18 cm x 59 cm)	29.5" x 12.5" x 27" (75 cm x 32 cm x 69 cm)	48 lbs. (21.8 kg)	\$ 1,226
<b>Two &amp; Three Flavor Models</b>						
<b>PIC2</b>	Two 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	81 lbs. (37 kg)	\$ 1,992
<b>PIC3</b>	Three 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	83 lbs. (38 kg)	\$ 2,214
<b>PIC33A</b> 3 Portions / Head	Three 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	83 lbs. (38 kg)	\$ 2,438
<b>Four, Five, &amp; Six Flavor Models</b>						
<b>PIC4</b> Focus Flavor	One 11.5 lbs. & Three 5.5 lbs. (One 5.2 kg & Three 2.5 kg)	3.5 gal. (13.2L)	32.5" x 16.5" x 22" (83 cm x 42 cm x 57 cm)	38" x 21" x 27" (97 cm x 53 cm x 69 cm)	100 lbs. (46 kg)	\$ 3,106
<b>PIC5</b>	Five 5 lbs. (Five 2.26 kg)	5 gal. (19L)	34.75" x 20.5" x 24.75" (88 cm x 52 cm x 63 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	125 lbs. <sup>1</sup> (57 kg)	\$ 3,416
<b>PIC5</b> with Island Option	Five 5 lbs. (Five 2.26 kg)	5 gal. (19L)	34.75" x 20.5" x 24.75" (88 cm x 52 cm x 63 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	125 lbs. <sup>1</sup> (57 kg)	\$ 3,618
<b>PIC6</b>	Six 5 lbs. (Six 2.26 kg)	5 gal. (19L)	34.75" x 24.25" x 25" (88 cm x 62 cm x 64 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	205 lbs. (93 kg)	\$ 4,084
<b>PIC6</b> with Island Option	Six 5 lbs. (Six 2.26 kg)	5 gal. (19L)	34.75" x 24.25" x 25" (88 cm x 62 cm x 64 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	205 lbs. (93 kg)	\$ 4,286
<b>Accessory for PIC powdered beverage dispensers</b>						
<b>External Water Pump Kit</b> (Part # 63174)	N/A	N/A	N/A	3.5" x 24" x 10.5" (9 cm x 61 cm x 1 cm)	8.5 lbs. (3.8 kg)	\$ 312
<b>Plumbing:</b> .25" (6.35 mm) water line required. <sup>1</sup> Does not include weight of pallet. <b>Electrical:</b> Dispensers - 120V, 1650W, 14A; Pump Kit - 120V, 60W, 1A; PIC-CUL = Canadian models = 120V, 1400W, 12A; PIC-E = Export models = 203V, 50/60HZ 10A (PIC-1K, PIC-2 and PIC-3 only) <b>Options:</b> Additional cost applies. 1) Choice of backlit graphic - (PIC1K / PIC2 / PIC3 / PIC33). 2) Single portion control - add "A" suffix to model number (PIC1K / PIC2 / PIC3 / PIC4). 3) Three portions per head - add "3A" suffix to model number (PIC1K* / PIC2* / PIC3 / PIC4*). * minimum order quantities required. 4) Hot water dispense – add "W" suffix to model number (PIC1K / PIC2 / PIC3 / PIC33 / PIC4).						



# Hot Powdered Beverage Dispensers



## Hot Powder Cappuccino, Hot Chocolate, & Specialty Beverage Dispensers

### Series Description

**Budget K** – For low to medium volume locations using minimal counter space.

**Cold Cappuccino** – Designed for the unique characteristics of cold cappuccino products.

**Compact & Compact Whipper** – These moderate volume dispensers, have the smallest footprint available.

**Destination** – Dispense up to 8 flavors of cappuccino.

**Europa** – Attractive contemporary design with large back lit display, draws customers to this dispenser.

**Feature Flavor & Whipper** – Cecilware's original, high volume dispenser allows you to double up on popular flavors.

**IT & Vista IT** – Dispensers with the IT2 microprocessor provide operators with total operating control.

**Low Profile** – Only 28½" in height.

**Mini Whipper** – Basic hot chocolate dispenser for low volume locations.

**Multi-Flavor** – These dispensers offer 12 delicious hot beverages in only 14" of counter space.

**Panorama & Vista** – Sleek, curvy, & attracts attention, these models combine Cecilware's newest contemporary design with the industries leading features. Vista available with 3, 4, and 5 flavors; Panorama with 6 and 8 flavors.

**Pour-Over** – Designed to fully operate as automatic, pour-over, or with bottled water.

**Ski, Ski Whipper, & Super Ski** – Designed for use in extremely heavy volume locations: Ski Resorts, Sports Bars, Airports, Stadiums, & Casinos.


**Space Saver** – 2" - 3" narrower than the Feature Flavor dispensers.



Vertical Lift Door



Triple Portion Control



### Standard Features Included On All Dispensers\*

- Fast Flow** – Dispenses 30% faster, reducing wear & tear on major components.
- Vacuum steam removal system VSRS** – Ensures the powder remains dry. Eliminates clogging, caking and bridging.
- Moisture & powder collection tray** – Prevents excess moisture & product powder from reaching the vacuum motor.
- Direct drive auger system** – Ensures perfect hopper alignment & "silent running".
- Power whip** – Whips the product into a delicious, creamy drink.
- Self cleaning** – Rinses the entire whipper chamber with hot water at the end of each cycle.
- Quick change transparency**

\* Standard feature set is not available on the Mini Whipper series.

### Additional Features Found On Certain Dispensers

- Vertical lift door** – Provides easy access to the inside of the dispenser.
- FAST Service** – Access major components through the front of the dispenser.
- Stainless steel drip tray**
- Easy bulb access** – New style screw-in bulb.
- Slanted whipper chamber** – Provides optimal mixing of product & keeps it flowing away from the motor seal.
- Molded fascia** – Attractive design with extra large P.O.S. display.
- Intelligent Technology 2** – Digital dispensers featuring touch pad control & large, two line LCD display.

### Optional Features Available On Certain Dispensers

- Portion control** – Allows an operator to automatically dispense into 1 or 3 predetermined cup sizes.  
**Note: Single Portion Control:** Add "PC" suffix & \$110 to list price for each hopper. Available on all series. For Mini Whipper add "AT" suffix & \$120 to list price.  
**Note: Triple Portion Control:** Add "3PC" suffix. Only available on 3 flavor IT dispensers.
- SMARTSENSE** – Monitors powder level, alerts operator that hopper needs to be refilled, shuts off dispense mechanism on empty hopper, & re-engages when hopper is refilled.  
**Note:** Available on all series except: IT, Compact/Compact Whipper, & Mini Whipper series. Add \$150 list price for each hopper.
- Hot water dispense button** – For soup or tea.  
**Note:** Add "W" before "LD" suffix. Available on Space Saver, Feature Flavor, Destination, Panorama, Pour-Over, Ski/Ski Whipper/Super Ski, & Whipper series. Add \$120 to list price.
- Side panel graphics package** – Color graphics attract attention from all sides of the dispenser.  
**Note:** Available on Vista IT, Vista, Destination, Panorama, add \$190 to list price.
- Electrical** – Export electrical configurations available.  
**Note:** 120/240V, 3KW, 15A, or 6KW, 25A, or export voltage 220 available. Add 5% to list price for all series.



# Hot Powdered Beverage Dispensers



## Hot Powder Cappuccino, & Specialty Beverage Dispensers

- The most comprehensive line of dispensers available – Model choices up to 12 flavors & several different footprints accommodate any hot beverage need.
- Fast Flow – Dispenses 30% faster, reducing wear and tear on major components.
- Direct Drive Auger System.



Model GB1M-LD



Model 3K-GB-LD



Model GB8MP-10-LD-U

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap. <sup>1</sup>	Dimensions (H x W x D)	Ship Weight	List Price
Single Flavor Models							
GB1CP (non-lit door)	Compact	One 8 lbs. (One 3.6 kg)	2 gal. (7.6L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	30 lbs. (14 kg)	\$ 1,200
GB1M-LD	Space Saver	One 8 lbs. (One 3.6 kg)	2 gal. (7.6L)	42	31.5" x 8.5" x 22" (80 cm x 22 cm x 56 cm)	65 lbs. (29 kg)	\$ 1,360
GB1SKI-LD	Ski & Super Ski	One 14 lbs. (One 6.4 kg)	3.5 gal. (13.2L)	93	37.5" x 8.5" x 22" (95 cm x 22 cm x 56 cm)	85 lbs. (39 kg)	\$ 1,870
Two Flavor Models							
GB2CP (non-lit door)	Compact	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	32 lbs. (15 kg)	\$ 1,360
GB2LP-LD	Low Profile	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6L)	32	28.5" x 8.5" x 20" (72 cm x 22 cm x 51 cm)	70 lbs. (32 kg)	\$ 1,800
2K-GB-LD	Budget K	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6L)	42	31.5" x 8.5" x 20" (80 cm x 22 cm x 51 cm)	70 lbs. (32 kg)	\$ 1,900
GB2M5.5-LD	Space Saver	Two 5.5 lbs. (Two 2.5 kg)	2 gal. (7.6L)	42	34" x 8.5" x 22" (86 cm x 22 cm x 56 cm)	86 lbs. (39 kg)	\$ 2,100
GB2M5.5-IT-LD	IT & Vista IT <sup>2</sup>						\$ 2,200
GB2M5.5-LD-IT-A/D-U	IT & Vista IT <sup>3</sup>						\$2,200
GB2SKI-LD	Ski & Super Ski	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2L)	131	38" x 14" x 23.25" (97 cm x 36 cm x 59 cm)	140 lbs. (64 kg)	\$ 3,250
GB2 Super SKI (non-lit door)	Ski & Super Ski	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2L)	131	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	\$ 3,800
GB2 Super SKI-BL-LD	Ski & Super Ski						\$ 3,600
Three Flavor Models							
GB3CP (non-lit door)	Compact	Three 4 lbs. (Three 1.8 kg)	2 gal. (7.6L)	38	27" x 10" x 19" (69 cm x 25 cm x 48 cm)	40 lbs. (18 kg)	\$ 1,700
GB3LP (non-lit door)	Low Profile	Three 4 lbs. (Three 1.8 kg)	2.75 gal. (10.4L)	58	28.5" x 11" x 20" (72 cm x 28 cm x 51 cm)	75 lbs. (34 kg)	\$ 1,900
GB3LP-LD	Low Profile						\$ 2,250
3K-GB-NL (non-lit door)	Budget K	Three 4 lbs. (Three 1.8 kg)	2.75 gal. (10.4L)	53	31.5" x 10" x 20" (80 cm x 25 cm x 51 cm)	81 lbs. (37 kg)	\$ 2,150
3K-GB-LD	Budget K						\$ 2,300
GB3M5.5-LD	Space Saver	Three 5.5 lbs. (Three 2.5 kg)	2.75 gal. (10.4L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	100 lbs. (45 kg)	\$ 2,590
GB3M10-LD	Feature Flavor	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	\$ 2,750

Plumbing: .25" (6.35 mm) water line required. Electrical: Standard 120V, 1.8KW, 15A, line cord Nema plug 5-15R (except for Super Ski models 120/240V, 6KW, 25A) Optional: 120/240V, 3KW, 15A, or 6KW, 25A (except for Super Ski models 230V, 9KW, 39A • 230V, 18KW, 78A • 230V, 18KW, 45A 3 phase) Export voltage 220 available, add 5%. Finish: Black <sup>1</sup>Burst Capacity: Based on 6 oz. cups. <sup>2</sup>IT2 digital model. <sup>3</sup>IT-A/D-U models feature LCD display with mechanical buttons. U = vertical lift door.





# Hot Powdered Beverage Dispensers

Hot Powder Cappuccino,  
& Specialty Beverage  
Dispensers (continued)



Model GB1M-LD



Model 3K-GB-LD



Model GB8MP-10-LD-U

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap. <sup>1</sup>	Working Dimensions (H x W x D)	Ship Weight	List Price
Three Flavor Models (continued from previous page)							
GB3M10-IT-LD	IT & Vista IT <sup>2</sup> Feature Flavor	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	\$ 2,850
GB3M10-LD-U	Feature Flavor						
GB3M10-LD-IT-A/D-U	IT & Vista IT <sup>3</sup> Feature Flavor						
GB3M210W-LD-U	Feature Flavor	Two 10 lbs. & One 5 lbs. (Two 4.5 kg & One 2.26 kg)	3.2 gal. (12.1L)	78	34" x 14.75" x 22" (86 cm x 37 cm x 56 cm)	100 lbs. (45 kg)	\$ 2,950
GB3MV-310-LD	Vista	Three 10 lbs. (Three 4.5 kg)	6 gal. (22.7L)	98	35" x 18" x 22" (89 cm x 46 cm x 56 cm)	130 lbs. (59 kg)	\$ 3,000
GB3MV-310-IT-LD	IT & Vista IT <sup>2</sup>						\$ 3,100
GB3P-LD	Pour-Over <sup>4</sup>	Three 5.5 lbs. (Three 2.5 kg)	2.5 gal. (9.5L)	50	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	95 lbs. (43 kg)	\$ 2,750
GB3E-LD	Europa	Two 10 lbs. & One 5 lbs. (Two 4.5 kg & One 2.26 kg)	3.5 gal. (13.2L)	78	37.5" x 14" x 25" (95 cm x 36 cm x 63 cm)	120 lbs. (54 kg)	\$ 2,750
GB3E-IT-LD	Europa <sup>2</sup>						\$ 2,850
Four Flavor Models							
GB4LP-LD	Low Profile	Four 4 lbs. (Four 1.8 kg)	2.75 gal. (10.4L)	58	28.5" x 14" x 20" (72 cm x 36 cm x 51 cm)	100 lbs. (45 kg)	\$ 2,800
4K-GB-NL (non-lit door)	Budget K	Four 4 lbs. (Four 1.8 kg)	3.75 gal. (14.1L)	78	31.5" x 15.6" x 20" (80 cm x 40 cm x 51 cm)	120 lbs. (54 kg)	\$ 2,650
4K-GB-LD	Budget K						\$ 2,800
GB4M5.5-LD	Space Saver	Four 5.5 lbs. (Four 2.5 kg)	3.75 gal. (14.1L)	78	34" x 14" x 22" (86 cm x 36 cm x 56 cm)	120 lbs. (54 kg)	\$ 3,150
GB4M5.5-LD-U	Space Saver						\$ 3,250
GB4MV-210-LD	Vista	Two 10 lbs. & Two 5.5 lbs. (Two 4.5 kg & Two 2.5 kg)	6 gal. (22.7L)	98	35" x 18" x 22" (89 cm x 46 cm x 56 cm)	130 lbs. (59 kg)	\$ 3,420
GB4MV-210-IT-LD	IT & Vista IT <sup>2</sup>						\$ 3,520
Five Flavor Models							
5K-GB-NL (non-lit door)	Budget K	Five 4 lbs. (Five 1.8 kg)	3.75 gal. (14.1L)	78	31.5" x 15.6" x 20" (80 cm x 40 cm x 51 cm)	125 lbs. (57 kg)	\$ 3,150
5K-GB-LD	Budget K						\$ 3,300
5K-10-GB-LD	Budget K Feature Flavor	One 10 lbs. & Four 5.5 lbs. (One 4.5 kg & Four 2.5 kg)	6 gal. (22.7L)	98	34" x 18" x 20" (86 cm x 46 cm x 51 cm)	130 lbs. (59 kg)	\$ 3,500
GB5M10-LD	Feature Flavor	One 10 lbs. & Four 5 lbs. (One 4.5 kg & Four 2.26 kg)	6 gal. (22.7L)	98	34" x 18" x 22" (86 cm x 46 cm x 56 cm)	130 lbs. (59 kg)	\$ 3,800
GB5M210-LD-U	Feature Flavor	Two 10 lbs. & Three 5 lbs. (Two 4.5 kg & Three 2.26 kg)	6 gal. (22.7L)	98	34" x 20" x 22" (86 cm x 51 cm x 56 cm)	140 lbs. (64 kg)	\$ 4,000
GB5MV-10-LD	Vista	One 10 lbs. & Four 5.5 lbs. (One 4.5 kg & Four 2.5 kg)	6 gal. (22.7L)	98	35" x 18" x 22" (89 cm x 46 cm x 56 cm)	130 lbs. (59 kg)	\$ 4,000
GB5MV-10-IT-LD	IT & Vista IT <sup>2</sup>						\$ 4,100
Plumbing: .25" (6.35 mm) water line required. Electrical: 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. Finish: Black. <sup>1</sup> Burst Capacity: Based on 6 oz. cups. <sup>2</sup> IT2 digital model. <sup>3</sup> IT-A/D-U models feature LCD display with mechanical buttons. <sup>4</sup> Contains an additional 2 gal. (7.5 L) reservoir. U = vertical lift door.							

Plumbing: .25" (6.35 mm) water line required. Electrical: 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. Finish: Black. <sup>1</sup>Burst Capacity: Based on 6 oz. cups. <sup>2</sup>IT2 digital model. <sup>3</sup>IT-A/D-U models feature LCD display with mechanical buttons. <sup>4</sup>Contains an additional 2 gal. (7.5 L) reservoir. U = vertical lift door.





# Hot Powdered Beverage Dispensers



## Hot Powder Cappuccino, & Specialty Beverage Dispensers (continued)



Model GB1M-LD



Model 3K-GB-LD



Model GB8MP-10-LD-U

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap. <sup>1</sup>	Dimensions (H x W x D)	Ship Weight	List Price
<b>Six Flavor Models</b>							
GB6M10LD-R/H	Destination <sup>2</sup>	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 21.5" x 22" (86 cm x 55 cm x 56 cm)	160 lbs. (73 kg)	\$ 4,350
GB6M10WLD-R/H	Destination <sup>3</sup>	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 21.5" x 22" (86 cm x 55 cm x 56 cm)	160 lbs. (73 kg)	\$ 4,470
GB6M10-LD-U	Destination	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 21.5" x 22" (86 cm x 55 cm x 56 cm)	160 lbs. (73 kg)	\$ 4,700
GB6MP-10-LD-U	Panorama	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 22.5" x 22" (86 cm x 57 cm x 56 cm)	160 lbs. (73 kg)	\$ 4,900
<b>Eight Flavor Models</b>							
GB8M10-LD-U	Destination <sup>4</sup>	One 10 lbs. & Seven 5 lbs. (One 4.5 kg & Seven 2.26 kg)	8 gal. (30.3L)	120	34" x 27" x 22" (86 cm x 69 cm x 56 cm)	180 lbs. (82 kg)	\$ 6,900
GB8MP-10-LD-U	Panorama <sup>4</sup>				34" x 28" x 22" (86 cm x 71 cm x 56 cm)		\$ 7,100

**Plumbing:** 1/4" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard (Two line cords included with GB8M10-LD-U & GB8MP-10-LD-U). 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. <sup>1</sup>**Burst Capacity:** Based on 6 oz. cups. <sup>2</sup>This model has a right hand side hinge door. <sup>3</sup>This model has a right hand side hinge door & standard hot water dispense. <sup>4</sup>This model requires two water lines & two separate electrical circuit's. U = vertical lift door



## Multi-Flavor Hot Powder Beverage Dispensers

- Mixes & creates twelve hot drinks from just five ingredients.
- Dispenser uses highly concentrated flavors.
- Requires only 14" of counter space.



Model GB5MF-IT-LD

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap. <sup>1</sup>	Dimensions (H x W x D)	Ship Weight	List Price
<b>Cappuccino Model</b>							
GB5MF-IT-LD	Multi-Flavor <sup>2</sup>	One 10 lbs. & Four 2 lbs. (One 4.5 kg & Four 1 kg)	3.5 gal. (13.2L)	112	37.5" x 14" x 25" (95 cm x 36 cm x 64 cm)	120 lbs. (54 kg)	\$ 4,000
<b>Hot Chocolate Model</b>							
GB5MF-HC-IT-LD	Multi-Flavor <sup>2</sup>	Two 5 lbs. & Three 2 lbs. (Two 2.26 kg & Three 1 kg)	3.5 gal. (13.2L)	112	37.5" x 14" x 25" (95 cm x 36 cm x 64 cm)	120 lbs. (54 kg)	\$ 4,000

**Plumbing:** 1/4" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. <sup>1</sup>**Burst Capacity:** Based on 6 oz. cups. <sup>2</sup>IT2 digital model.



## High Volume, Rapid Dispense Hot Powder Single Flavor Cappuccino Dispenser

- Rapid dispense rate - up to 2.4 oz. per sec.
- Fills a 1 gal. coffee box in less than 1 min.
- Fills a 3 gal. insulated beverage container in less than 3 min.
- Triple portion control for single cup dispensing.



Model JAVA-HV-LB

Model	Series	Number of Hoppers* & Capacity	Tank Cap.	Dimensions (H x W x D)	Ship Weight	List Price
JAVA3-HV-LB (non-lit door)	Feature Flavor	Two 11.5 lbs. & One 7 lbs. (Two 5.22 kg & One 6.4 kg)	7.5 gal. (28.39L)	38.5" x 18.13" x 22.25" (97.79 cm x 46 cm x 56.52 cm)	155 lbs. (70.31 kg)	\$ 5,400

**Plumbing:** 1/4" (6.35 mm) water line required. **Electrical:** 230V, 18KW, 45A, 3ph; 208V, 14.4 KW, 41A, 3Ph

\*single flavor







# Hot Chocolate Dispensers



## Powdered Hot Chocolate Dispensers

- Extra high volume models available.



Model GB1HC-CP

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap. <sup>1</sup>	Dimensions (H x W x D)	Ship Weight	List Price
<b>Single Flavor Models</b>							
4914 (non-lit door)	Mini Whipper	One 8 lbs. (One 3.6 kg)	.6 gal. (2.3 L)	12	24" x 9" x 16" (61 cm x 23 cm x 41 cm)	29 lbs. (13 kg)	\$ 1,160
GB1HC-CP (non-lit door)	Compact Whipper	One 8 lbs. (One 3.6 kg)	2 gal. (7.6 L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	30 lbs. (14 kg)	\$ 1,200
GB1HC (non-lit door)	Whipper	One 8 lbs. (One 3.6 kg)	2 gal. (7.6 L)	42	31.5" x 8.5" x 22" (80 cm x 22 cm x 56 cm)	65 lbs. (14 kg)	\$ 1,360
GB1SKI-HC (non-lit door)	Ski Whipper	One 14 lbs. (One 6.4 kg)	3.5 gal. (13.2 L)	93	37.5" x 8.5" x 22" (95 cm x 22 cm x 56 cm)	85 lbs. (39 kg)	\$ 1,870
<b>Two Flavor Models</b>							
GB2HC-CP (non-lit door)	Compact Whipper	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6 L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	32 lbs. (15 kg)	\$ 1,360
GB2SKI-HC (non-lit door)	Ski Whipper	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2 L)	131	38" x 14" x 23.25" (97 cm x 36 cm x 59 cm)	140 lbs. (64 kg)	\$ 3,250
GB2 Super SKI-HC (non-lit)	Ski & Super Ski	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2 L)	131	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	\$ 3,800
GB2 Super SKI-BL-LD-HC	Ski & Super Ski	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2 L)	131	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	\$ 3,600
<b>Three Flavor Models</b>							
GB3HC-CP	Compact Whipper	Three 4 lbs. (Three 1.8 kg)	2 gal. (7.6 L)	38	27" x 10" x 19" (69 cm x 25 cm x 48 cm)	40 lbs. (18 kg)	\$ 1,700
<b>Plumbing:</b> .25" (6.35 mm) water line required. <b>Electrical:</b> Standard 120V, 1.8KW, 15A, line cord Nema plug 5-15R (except for Super Ski models 120/240V, 6KW, 25A) <b>Optional:</b> 120/240V, 3KW, 15A, or 6KW, 25A (except for Super Ski models 230V, 9KW, 39A • 230V, 18KW, 78A • 230V, 18KW, 45A 3 phase) Export voltage 220 available, add 5% to list price • <b>Finish:</b> Black (except GB2 Super SKI-HC, stainless steel) • <b>Portion Control:</b> Add "PC" suffix & \$110 to list price (except for 4914 - add "AT" suffix & \$120 to list price) <sup>1</sup> Burst Capacity: Based on 6 oz. cups.							



## Liquid Hot Chocolate Dispenser

- Fully automatic liquid hot chocolate dispenser.



Model HC-2

Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
HC-2	2.9 gal. (11L)	120V / 1800W / 15A	27" x 9" x 10" (69 cm x 23 cm x 25 cm)	28" x 12" x 28" (71 cm x 30 cm x 71 cm)	50 lbs. (23 kg)	\$ 1,680
<b>Dispense Temp.:</b> 185°F/85°C ± 5°. Dispense Flow Rate: 1 fluid ounce / sec. * Material: Plastic. Accommodates all cup sizes and syrups from bags-in box, cans, or product hopper. <b>Options:</b> 1) AOPT 215* Adapter Cover: Work Dim: H / W / D: 11" (28 cm), add \$110 to list price. <b>Ship Dim.:</b> H / W / D: 12" (30 cm), <b>Ship Wt.:</b> 2 lbs. (1 kg) 2) AOPT 5 Single Portion Control: add \$180 to list price. 3) AOPT 8: Liquid Product Hopper add \$100 to list price.						



## Delice

- For mixing & dispensing thick chocolate, hot cider, & other hot beverages.



Model CHOCO-1

Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
CHOCO-1	1.32 gal. (5L)	120V / 1.8KW / 15A	19.5" x 10.25" x 12.5" (50 cm x 26 cm x 32 cm)	17 lbs. (8 kg)	\$ 1,000
<b>Adjustable Thermostat:</b> Up to 190°F / 88°C					



# Cold Powdered & Bag-In-Box Dispensers



## Ambient Powder Cappuccino, & Specialty Beverage Dispensers

- Just add ice!
- Fast Flow – Dispenses 30% faster, reducing wear and tear on major components.
- Direct drive auger system.



Model GB3M5.5-LD-LT



Model GB3M10-IT-LD-C

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap. <sup>1</sup>	Dimensions (H x W x D)	Ship Weight	List Price
<b>Three Flavor Models</b>							
GB3M5.5-LD-LT	Cold Cappuccino	Three 5.5 lbs. (Three 2.5 kg)	2.75 gal. (10.4L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	100 lbs. (45 kg)	\$ 2,590
GB3M10-IT-LD-C	Cold Cappuccino <sup>2</sup>	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	\$ 2,850

**Plumbing:** .25" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5% to list price. **Finish:** Black. **Triple Portion Control:** Add suffix 3PC, not available on model GB3M5.5-LD-LT. <sup>1</sup>**Burst Capacity:** Based on 6 oz. cups. <sup>2</sup>IT2 digital model. Low temperature ambient thermostat available on additional models, contact Grindmaster-Cecilware™ for more information.



## Bag-In-Box Ready To Serve Dispenser

- Bag-In-Box-Dispenser - Accepts any bag-in-box or bag-in-basket size/format.
- Accepts (2x) 2.75 gal. (10.5L) beverages - Suitable for any non-carbonated drink.
- Approved for dairy - Conforms with NSF20, entire pack is chilled including nozzle.



Model RTS2



Model	Adjustable Temp. Range	Basket & Carton Dim. (H x W x D)	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
RTS2	35°F - 50°F (1.67°C - 10°C)	15.75" x 5.5" x 12.5" (40 cm x 14 cm x 32 cm)	120V / 1.8KW / 15A	39.75" x 14.25" x 22.5" (101 cm x 36 cm x 57 cm)	95 lbs. (43 kg)	\$ 2,100

**Electrical:** Line cord included, Nema plug 5-15P. **Required:** Please specify your choice of 1 graphic panel & 2 flavor labels when ordering, no charge. For best results, product should be chilled prior to being placed inside machine.



## Bag-In-Box Ready To Serve Dispenser Accessories

Part #	Description	List Price
08423	Graphic panel - Cappuccino/Iced Coffee	\$ 53
08426	Graphic panel - Fresh Milk	\$ 48

Part #	Description	List Price
08429	Flavor label - Chocolate	\$ 20
08427	Flavor label - Fresh Milk	\$ 19
08425	Flavor label - French Vanilla	\$ 20
08424	Flavor label - Mocha	\$ 18





## Crathco® Cold Beverage Dispensers



### Crathco® G-Cool™ - Innovative Premix Cold Beverage Dispensers

- Dispense up to 4 flavors; 2.4 & 5 gal. bowls.
- Faster Cleaning - cleans in half the time of a traditional dispenser.
- Patented Tri-Cool™ evaporator with a large 3 sided cooling surface that refrigerates through the bowl.
- 360° Merchandising with choice of fruit, tea or cappuccino graphics.



Model C-1S-16



Model C-3D-16



Model C-4D-16

Model	# of Bowls	Bowl Capacity	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
<b>C-1S-16 Single*</b>	1	5 (18.9L) gal.	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 16" x 22" (76 cm x 41 cm x 56 cm)	75 lbs. (34 kg)	\$ 1,100
<b>C-2D-16 Double**</b>	2	5 gal. (18.9L) each	26.5" x 22" x 19.5" (68 cm x 56 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	125 lbs. (57 kg)	\$ 1,520
<b>C-3D-16 Focus Flavor™ Triple**</b>	3	One 5 gal. (18.9L) & Two 2.4 gal. (9L)	26.5" x 22" x 19.5" (68 cm x 56 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	130 lbs. (59 kg)	\$ 1,970
<b>C-2S-16 Mini-Duo™*</b>	2	2.4 gal. (9L) each	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 16" x 22" (76 cm x 41 cm x 56 cm)	82 lbs. (37 kg)	\$ 1,400
<b>C-4D-16 Mini-Quattro™**</b>	4	2.4 gal. (9L) each	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	133 lbs. (60 kg)	\$ 2,190

Electrical: \* 120V, 450W, 4A \*\* 120V, 980W, 9A Refrigerant: R134A



### Crathco® G-Cool™ Accessories

Part #	Description	List Price
<b>9913</b>	Milkfat Impeller	\$ 13
<b>99453</b>	Single cradle 4" (100 mm) leg kit (Optional on single units, standard on double cradle units)	\$ 116



### Crathco® G-Cool™ Conversion Kits\*

Part #	Description	List Price
<b>99469</b>	C-1S-16 to C-2S-16	\$ 364
<b>99470</b>	C-1S-22 to C-2S-22	\$ 364
<b>99471</b>	C-2S-16 to C-1S-16	\$ 190
<b>99472</b>	C-1S-22 to C-2S-2	\$ 190
<b>99473</b>	C-2D-16 or C-3D-16 to C-4D-16	\$ 694

Part #	Description	List Price
<b>99474</b>	C-2D-22 or C-3D-22 to C-4D-22	\$ 694
<b>99475</b>	C-3D-16 or C-4D-16 to C-2D-16	\$ 346
<b>99476</b>	C-3D-22 or C-4D-22 to C-2D-22	\$ 346
<b>99477</b>	C-2D-16 or C-4D-16 to C-3D-16	\$ 520
<b>99478</b>	C-2D-22 or C-4D-22 to C-3D-22	\$ 520

\* Only Crathco® G-Cool™ dispensers manufactured after February 2008 (serial number T091270) are convertible. G-Cool™ conversion kits must be installed by a qualified service provider.



# Crathco® Cold Beverage Dispensers



## Crathco® Classic Bubblers™ Premix Cold Beverage Dispensers

- A two piece, stainless steel dispense system that cools to the dispense point.
- MCX Mag Drive™ impeller.
- Easy clean stainless evaporator surface.
- Fewer parts for fast, easy clean-up.
- Includes spray and agitate circulation options.



Model D25-4



Model D35-4



Model E49-4

Model	# of Bowls	Electrical***	Dimensions (H x W x D)	Ship Dimensions (H x W x D) (2 boxes)	Ship Weight	List Price
Standard Series with 5 Gallon (18.9L) Bowl						
D15-3*	1	120V / 340W / 3A	27.25" x 10.125" x 15.875" (69 cm x 26 cm x 40 cm)	Base: 15.5" x 13.5" x 13.5" (39 cm x 34 cm x 34 cm) Bowl: 8.5" x 14" x 15.5" (22 cm x 36 cm x 39 cm)	Total: 46 lb. (20.4 kg) Base: 37 lb. (16.8 kg) Bowl: 9 lb. (4 kg)	\$ 1,100
D15-4**	1					\$ 1,050
D25-3*	2	120V / 660W / 6A	27.25" x 17.5" x 15" (69 cm x 44 cm x 38 cm)	Base: 16.25" x 20.75" x 13.5" (41 cm x 53 cm x 34 cm) Bowl: 22.5" x 15.5" x 8.5" (57 cm x 39 cm x 22 cm)	Total: 77 lb. (35 kg) Base: 60 lb. (27 kg) Bowl: 17 lb. (8 kg)	\$ 1,520
D25-4**	2					\$ 1,410
D35-3*	3	120V / 1020W / 9A	27.25" x 25.63" x 15.875" (69 cm x 65 cm x 40 cm)	Base: 16" x 29.5" x 13.5" (41 cm x 75 cm x 33 cm) Bowl: 28.5" x 15.5" x 8.5" (73 cm x 39 cm x 21 cm)	Total: 95 lb. (43 kg) Base: 71 lb. (32.2 kg) Bowl: 24 lb. (10.8 kg)	\$ 1,970
D35-4**	3					\$ 1,840
Mini-Bowl Series with 2.4 Gallon (9L) Bowl						
E29-3*	Mini-Twin™ 2	120V / 400W / 4A	25.5" x 11.25" x 15.5" (65 cm x 29 cm x 40 cm)	Base: 16" x 14.5" x 13.5" (41 cm x 37 cm x 34 cm) Bowl: 16" x 16" x 9.5" (41 cm x 41 cm x 24 cm)	Total: 56 lb. (25.4 kg) Base: 45 lb. (20.4 kg) Bowl: 11 lb. (5 kg)	\$ 1,400
E29-4**	Mini-Twin™ 2					\$ 1,300
E49-3*	Mini-Quad™ 4	120V / 720W / 6A	25.5" x 20.5" x 15" (65 cm x 52 cm x 38 cm)	Base: 16" x 23.5" x 13.5" (41 cm x 60 cm x 34 cm) Bowl: 19" x 20" x 9.5" (48 cm x 51 cm x 24 cm)	Total: 91 lb. (41.2 kg) Base: 67 lb. (30.4 kg) Bowl: 24 lb. (10.8 kg)	\$ 2,190
E49-4*	Mini-Quad™ 4					\$ 2,070
*(-3) = Stainless steel side panels and drip tray. **(-4) = Plastic side panels and drip tray. ***230V available. Refrigerant: 134A.						

\*(-3) = Stainless steel side panels and drip tray. \*\*(-4) = Plastic side panels and drip tray. \*\*\*230V available. Refrigerant: 134A.



## Crathco® Refrigerated Premix Dispensers/Bubblers™ Options & Accessories\*

Part #	Description	List Price
1161M	Large (blue) Milkfat Impeller	\$ 34
1008M	Small (red) Milkfat Impeller	\$ 34
3587	Standard MCX Mag Drive™ Impeller (black)	\$ 24
3709	MCX Mag Drive™ Low Foam Impeller	\$ 24
2484	Non Contact Handle (Standard)	\$ 24
2266	Cup Activated Handle	\$ 24
2543	3" Legs (7.5 cm) set of 4	\$ 60
3657	Condensation Cover - "D" Models	\$ 22
3666	Condensation Cover - "E" Models	\$ 22
2039	Valve Cap	\$ 64

\*Option prices in addition to base price

Part #	Description	List Price
2502	Valve Locking Box (use w/cup activated handle)	\$ 58
5351	Security Kit - Use w/E29	\$ 140
5353	Security Kit - Use w/E49	\$ 196
2509	Security Kit - Use w/D15	\$ 140
2510	Security Kit - Use w/D25	\$ 196
2511	Security Kit - Use w/D35	\$ 282
90295	Liquid Autofill Control Box - Use w/D15, D25, D35, D112 (not for use with RO water systems)	\$ 568
90380	Pre-drilled holes for autofill on new premix machine (drilling charge per bowl)	\$ 34
5925	Shipboard Kit - Use w/D15, D25, D35	\$ 104

\*Option prices in addition to base price





# Cold Beverage Dispensers



## Arctic™ Series Premix Cold Beverage Dispensers

- Dispense iced tea, iced cappuccino & fruit juice containing particulates.
- Performs fast, or gentle agitation to reduce foaming of product.
- Dispense up to 4 flavors.
- Stainless steel dispensing valves.



Model 20/2PD



Model 20/3PE



Model 8/4

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Arctic Deluxe Series - Classic bubbler style dispenser with magnetic driven agitators, can be set for fast or gentle agitation, removable sides.						
20/1PD	1	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 7" x 18.5" (67 cm x 18 cm x 47 cm)	55 lbs. (25 kg)	\$ 1,260
20/2PD	2	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 14.5" x 18.5" (67 cm x 37 cm x 47 cm)	80 lbs. (36 kg)	\$ 1,880
20/3PD	3	5.4 gal. (20.4L)	120V / 1.4KW / 12A	26.5" x 21.25" x 18.5" (67 cm x 54 cm x 47 cm)	102 lbs. (46 kg)	\$ 2,300
20/4PD	4	5.4 gal. (20.4L)	120V / 2KW / 16A	26.5" x 28.5" x 18.5" (67 cm x 72 cm x 47 cm)	130 lbs. (59 kg)	\$ 2,780
Electrical: Line cord included. Body Construction: Stainless steel. Optional Bowl Size: 3.17 gal. bowl(s) also available, contact Grindmaster-Cecilware™ for more details.						

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Arctic Economy Series - Classic bubbler style dispenser with magnetic driven agitators, can be set for fast or gentle agitation, unibody construction.						
20/1PE	1	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 7" x 18.5" (67 cm x 18 cm x 47 cm)	55 lbs. (25 kg)	\$ 1,110
20/2PE	2	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 14.5" x 18.5" (67 cm x 37 cm x 47 cm)	80 lbs. (36 kg)	\$ 1,650
20/3PE	3	5.4 gal. (20.4L)	120V / 1.4KW / 12A	26.5" x 21.25" x 18.5" (67 cm x 54 cm x 47 cm)	102 lbs. (46 kg)	\$ 1,980
20/4PE	4	5.4 gal. (20.4L)	120V / 2KW / 16A	26.5" x 28.5" x 18.5" (67 cm x 72 cm x 47 cm)	130 lbs. (59 kg)	\$ 2,450
Electrical: Line cord included. Body Construction: Stainless steel. Optional Bowl Size: 3.17 gal. bowl(s) also available, contact Grindmaster-Cecilware™ for more details.						

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Compact "Slow" Agitation Series - Magnetic driven agitator - Very slow product agitation, reduces foaming, unibody construction.						
8/1	1	2.2 gal. (8.3L)	120V / 0.6KW / 5A	24.75" x 9" x 15.75" (63 cm x 23 cm x 40 cm)	33 lbs. (15 kg)	\$ 880
8/2	2	2.2 gal. (8.3L)	120V / 0.6KW / 5A	24.75" x 12" x 15.75" (63 cm x 30 cm x 40 cm)	42 lbs. (19 kg)	\$ 1,350
8/3	3	2.2 gal. (8.3L)	120V / 1.4KW / 12A	24.75" x 16.25" x 15.75" (63 cm x 41 cm x 40 cm)	51 lbs. (23 kg)	\$ 1,560
8/4	4	2.2 gal. (8.3L)	120V / 2KW / 16A	24.75" x 21.25" x 15.75" (63 cm x 54 cm x 40 cm)	58 lbs. (27 kg)	\$ 1,980
Electrical: Line cord included. Body Construction: Stainless steel.						





# Automatic Orange Juice Machines



## Automatic Orange Juice Machines

- Automatic feeders – Oranges are automatically fed into the machine.
- Efficient Squeezing Technology – Offers the greatest yield of juice / orange.
- Easy dismounting for cleaning
- Safety cut-out double detector
- All machines accommodate the following count size: #100, 113, 125, 138.



Model OJ100



Model OJ200



Model OJFRESH

Model	Fruit Output / min	Feeder Capacity	Flow Rate / Minute	Maximum Cup Clearance	Dimensions (H x W x D)	Ship Weight	List Price
<b>Countertop Models</b>							
<b>OJ100*</b>	14	6 Oranges	24 oz. - 45 oz. (.7L - 1.3L)	6.63" (17 cm)	34.75" x 18.5" x 19" (88 cm x 47 cm x 48 cm)	95 lbs. (43 kg)	\$ 8,800
<b>OJ200*</b>	22	18 lbs. (8 kg)	34 oz. - 66 oz. (1L - 2L)	6.63" (17 cm)	33" x 21.5" x 19" (84 cm x 55 cm x 48 cm)	117 lbs. (53 kg)	\$ 11,200
<b>OJ200D (Digital)*</b>	22	18 lbs. (8 kg)	34 oz. - 66 oz. (1L - 2L)	6.63" (17 cm)	33" x 21.5" x 19" (84 cm x 55 cm x 48 cm)	117 lbs. (53 kg)	\$ 11,900
<b>OJ32**</b>	32	33 lbs. (15 kg)	48 oz. - 96 oz. (1.4L - 2.8L)	6" (15 cm)	36" x 25" x 22" (891 cm x 64 cm x 56 cm)	144 lbs. (65 kg)	\$ 13,600
<b>OJ32D (Digital)**</b>	32	33 lbs. (15 kg)	48 oz. - 96 oz. (1.4L - 2.8L)	6" (15 cm)	36" x 25" x 22" (891 cm x 64 cm x 56 cm)	144 lbs. (65 kg)	\$ 14,600
<b>"Super" Floor Model</b>							
<b>OJ250*</b>	22	18 lbs. (8 kg)	34 oz. - 66 oz. (1L - 2L)	6.63" (17 cm)	63" x 19.25" x 22.75" (160 cm x 49 cm x 58 cm)	187 lbs. (85 kg)	\$ 13,600
<b>OJ250D (Digital)*</b>	22	18 lbs. (8 kg)	34 oz. - 66 oz. (1L - 2L)	6.63" (17 cm)	63" x 19.25" x 22.75" (160 cm x 49 cm x 58 cm)	187 lbs. (85 kg)	\$ 14,700
<b>OJ38<sup>1</sup> **</b>	38	33 lbs. (15 kg)	57 oz. - 114 oz. (1.7L - 3.4L)	10.38" (26 cm)	69.25" x 26.5" x 27.75" (176 cm x 67 cm x 70 cm)	310 lbs. (141 kg)	\$ 16,600
<b>OJ38D (Digital)<sup>1</sup> **</b>	38	33 lbs. (15 kg)	57 oz. - 114 oz. (1.7L - 3.4L)	10.38" (26 cm)	69.25" x 26.5" x 27.75" (176 cm x 67 cm x 70 cm)	310 lbs. (141 kg)	\$ 17,800
<b>OJFRESH<sup>1</sup> **</b>	38	33 lbs. (15 kg)	57 oz. - 114 oz. (1.7L - 3.4L)	10.38" (26 cm)	73" x 27" x 30" (185 cm x 69 cm x 76 cm)	365 lbs. (166 kg)	\$ 19,500

Electrical: Line cord included, 120V, 60 HZ, single phase. \* Can process lemons- Contact Grindmaster-Cecilware™ for details. \*\* Can process lemons - 140 - 165 count only.  
<sup>1</sup>Can process 40lb. case in under 2.5 minutes. **Fruit Diameter:** 3.25" (8.3 cm). **OJ38 Reservoir Capacity:** 2 gal. (7.57L) **OJFRESH Refrigerated Bowl Capacity:** 1½ gal. (5.66L)



## Juice Machine Accessories

Part #	Description	List Price
<b>02294</b>	Lemon Squeezing Kit For OJ100	\$ 850
<b>02245</b>	Lemon Squeezing Kit For 200/OJ200D/OJ250/OJ250D	\$ 850
<b>02244</b>	Lemon Squeezing Kit For J32/OJ32D/OJ38/OJ38D/OJFRESH	\$ 850





## Iced Tea Brewers and Dispensers



### "TB" Series Iced Tea Brewers & Dispensers

- Low Temperature Lockout System - Will not brew until the water has reached the proper temperature.
- Brew timer adjustment - Controls the brewing time.



Model TB3



Model B1/3



Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
<b>TB3 Brewer with B1/3T</b>	3 gal. (11L)	120V / 1.8KW / 15A	29.5" x 9.25" x 22.63" (75 cm x 24 cm x 58 cm)	43 lbs. (19.5 kg)	\$ 1,150
<b>TB5 Brewer with B1/5T</b>	5 gal. (19L)	120V / 1.8KW / 15A	29.5" x 12" x 25.63" (75 cm x 65 cm x 65 cm)	50 lbs. (23 kg)	\$ 1,300
<b>TB3P Pour-Over Brewer with B1/3T</b>	3 gal. (11L)	120V / 1.8KW / 15A	29.5" x 9.75" x 22.63" (75 cm x 25 cm x 58 cm)	43 lbs. (19.5 kg)	\$ 940
<b>B1/3 Dispenser &amp; Base</b>	3 gal. (11L)	n/a	20" x 9.5" x 13.75" (51 cm x 24 cm x 35 cm)	11 lbs. (5 kg)	\$ 200
<b>B1/5 Dispenser &amp; Base</b>	5 gal. (19L)	n/a	20" x 12.5" x 16.75" (51 cm x 32 cm x 43 cm)	18 lbs. (8 kg)	\$ 265
<b>B1/3T Dispenser</b>	3 gal. (11L)	n/a	11" x 9.5" x 9.5" (28 cm x 24 cm x 24 cm)	6 lbs. (3 kg)	\$ 120
<b>B1/5T Dispenser</b>	5 gal. (19L)	n/a	11" x 12.5" x 12.5" (28 cm x 32 cm x 32 cm)	11 lbs. (5 kg)	\$ 170
<b>SU3P Dispenser &amp; Base</b>	3 gal. (11L)	n/a	18.75" x 9.25" x 9.25" (48 cm x 24 cm x 24 cm)	9 lbs. (4 kg)	\$ 230
<b>SU5P Dispenser &amp; Base</b>	5 gal. (19L)	n/a	18.75" x 12" x 12" (48 cm x 31 cm x 31 cm)	15 lbs. (7 kg)	\$ 290
<b>TB Series Accessories</b>					
<b>NR28A</b> - Graphic wrap for 3 gallon dispenser					\$ 30
<b>NR36A</b> - Graphic wrap for 5 gallon dispenser					\$ 40
<b>Plumbing:</b> .25" (6.35 mm) water line required, except TB3P. <b>Electrical:</b> Line cord included, NEMA plug 5-15P. <b>Body Construction:</b> Stainless steel. <b>Funnel:</b> All units come standard with plastic brew funnel, add \$80 to list price for stainless steel brew funnel. <b>Filters:</b> For plastic brew funnel, order #412 filters, stainless steel brew funnel order #514 filter.					



### FTC Series Iced Tea Brewers & Dispensers

- Fresh brewed iced tea with real tea leaves or flow through filter packs.
- Pour-over model available.



Model FTC3P  
with S3C



Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
<b>FTC3 with S3C Dispenser</b>	3 gal. (11L)	120V / 1.8KW / 15A	28.5" x 10.25" x 21.5" (72 cm x 26 cm x 55 cm)	44 lbs. (20 kg)	\$ 970
<b>FTC5 with S3C Dispenser</b>	5 gal. (19L)	120V / 1.8KW / 15A	34.5" x 11" x 21.5" (88 cm x 28 cm x 55 cm)	57 lbs. (26 kg)	\$ 1,150
<b>FTC3P- Pour-Over with S3C Dispenser</b>	3 gal. (11L)	120V / 1.8KW / 15A	28.75" x 9" x 20.25" (73 cm x 23 cm x 51 cm)	40 lbs. (18 kg)	\$ 900
<b>Plumbing:</b> .25" (6.35 mm) water line required. <b>Electrical:</b> Line cord included, NEMA plug 5-15P. <b>Body Construction:</b> Stainless steel. <b>Funnel:</b> All units come standard with plastic brew funnel, add \$80 to list price for stainless steel brew funnel. <b>Filters:</b> For plastic brew funnel, order #412 filters, stainless steel brew funnel order #514 filter.					



## Brewed & Liquid Iced Tea Dispensers



### "S" Series Stainless Steel Iced Tea Dispensers

- Easy to clean iced tea dispensers.
- No-drip faucet design.



Model S3



Model S5



Model S10

Model	Capacity	Dimensions H x Diameter	Ship Weight	List Price
S2	2 gal. (7.6L)	15" x 9.25" (38 cm x 23.5 cm)	8 lbs. (3.6 kg)	\$ 136
S3	3 gal. (11L)	18.75" x 9.25" (48 cm x 23.5 cm)	9 lbs. (4 kg)	\$ 142
S3.5	3.5 gal. (13L)	22.75" x 9.25" (58 cm x 23.5 cm)	10 lbs. (4.5 kg)	\$ 152
S5	5 gal. (19L)	24.75" x 9.25" (63 cm x 23.5 cm)	11 lbs. (5 kg)	\$ 168
S10	10 gal. (38L)	26.5" x 11.75" (67 cm x 30 cm)	18 lbs. (8 kg)	\$ 284

Options: Curved handles, add "C" suffix to model # - No additional charge. Sight Glass: Add "SG" suffix to model # - add \$30 to list price to all models, except S10 add \$60  
7" faucet clearance is standard on S10



### "T1W" Series Plastic Iced Tea Dispenser

- Light weight, durable plastic.
- Product visibility.



Model T1W

Model	Capacity	Dimensions (H x W x D)	Ship Weight	List Price
T1W	3 gal. (11L)	16" x 12.5" x 9" (41 cm x 32 cm x 23 cm)	7 lbs. (3 kg)	\$ 74



### Liquid Tea Concentrate Dispensers

- Accepts jugs or bag-in-box product\* - Remote bag-in-box can be placed up to 6 feet away.
- Mixes water to concentrate using industry standard ratios.\*\*



Model TT2



Model TT4



Model	Description	# of Taps	Capacity	Dimensions (H x W x D)	Ship Weight	List Price
TT1	One flavor tea dispenser	1	Four .5 gal. Jugs* (Four 2L Jugs*)	24.5" x 10" x 18.38" (62 cm x 25 cm x 47 cm)	22 lbs. (10 kg)	\$ 500
TT2	Two flavor tea dispenser	2	Four .5 gal. Jugs* (Four 2L Jugs*)	24.5" x 10" x 18.38" (62 cm x 25 cm x 47 cm)	24 lbs. (11 kg)	\$ 740
TT3	Three flavor tea dispenser	3	Six .5 gal. Jugs* (Six 2L Jugs*)	24.5" x 18" x 15.5" (62 cm x 46 cm x 39 cm)	28 lbs. (13 kg)	\$ 1,100
TT4	Four flavor tea dispenser	4	Six .5 gal. Jugs* (Six 2L Jugs*)	24.5" x 18" x 15.5" (62 cm x 46 cm x 39 cm)	30 lbs. (14 kg)	\$ 1,450

Plumbing: .25" (6.35 mm) 30 psi water line required. Faucet Clearance: 7.75" all models. Options: 6 foot hose part# MA94A. full color label standard, full graphic wrap available at additional charge please contact Grindmaster-Cecilware™ for more information. \*Can be adapted to remote Bag-In-Box, inquire at factory.

\*\*5:1 standard, will handle up to 11:1 depending on product. Other ratios are available, inquire at factory.





## Granita Beverage Dispensers



### NHT - FrigoGranita® Dispensers

- Suction Cup Compression Seal System - Acts as a barrier between the granita product and vital gear motors.
- Dual surface freezing chamber - Freezes product quickly and efficiently.
- Standard adjustable slush and cool beverage mode.
- 24 hour programmable defrost timer.



Model NHT3ULBL



Model NHT2UL



Rear View of The Dispenser

**300 Series Stainless Steel  
Non Magnetic Auger Shaft  
Will Not Rust!**

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions (H x W x D)	Ship Weight	List Price
NHT2UL	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	\$ 3,400
NHT2ULBL	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	\$ 3,400
NHV2UL	Stainless Steel	2	2.5 gal. (9.5L)	(2) .5 hp	35.75" x 14.25" x 18.5" (91 cm x 36 cm x 47 cm)	148 lbs. (67 kg)	\$ 4,850
NHT3UL	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	\$ 4,850
NHT3ULBL	Black	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	\$ 4,850

**Electrical:** Line cord included, NHT2 = 120V, 1.7KW, 15A, NHT3/NHV2UL = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray lids & gray drip trays.  
**Note:** This series has reversible lids with single sided lighted graphics.



### NHT & MT FrigoGranita® Frozen Drink Dispenser Accessories

#### Ice Breaker Lids\*

Breaks up ice that can form at the top of the granita bowl



Part #	Description	List Price
00557	Complete Black Lid with Ice Breaker	\$ 180
00581	Complete White Lid with Ice Breaker	\$ 180
00582	Complete Gray Lid with Ice Breaker	\$ 180

\*NHT & MT Standard series only.

#### Brand Recognition Program

Custom graphics for NHT, MT Standard & MT Giant series dispensers.

- Custom color rear labels.
- Custom lid pictures.
- Custom color labels on all 4 sides.



Description	List Price
Custom Graphics For Single Bowl (MT1PUL)	\$ 170
Custom Graphics For Double Bowl (MT2 / MV2 / NHT2 / NHV2)	\$ 190
Custom Graphics For Triple Bowl (MT3 / NHT3)	\$ 210
Custom Graphics For Giant (GIANT2)	\$ 230
Contact Grindmaster-Cecilware™ for more information	




# Granita Beverage Dispensers



## MT - FrigoGranita® Dispensers

- Auger fits securely over the outside of the Magnetic Drive System, turning via a series of magnets.
- The auger motor turns magnetically eliminating front or rear seals.
- Eliminates damage to the auger motor if product freeze-up occurs.
- 24 hour programmable defrost timer.



Cut-Away View



Model MT2ULBL

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions (H x W x D)	Ship Weight	List Price
<b>MT Mini Series</b>							
<b>MT1MINI</b>	Stainless Steel	1	1.5 gal. (5.7L)	.125 hp	25.63" x 7" x 18.5" (65 cm x 18 cm x 47 cm)	58 lbs. (26 kg)	\$ 2,550
<b>MT2MINI</b>	Stainless Steel	2	1.5 gal. (5.7L)	.33 hp	25.63" x 14.25" x 18.5" (65 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	\$ 3,250
<b>MT3MINI</b>	Stainless Steel	3	1.5 gal. (5.7L)	.5 hp	25.63" x 21.25" x 18.5" (65 cm x 54 cm x 47 cm)	119 lbs. (54 kg)	\$ 4,500
Electrical: Line cord included, MT1Mini = 120V, 460W, 4A, MT2Mini = 120V, 1KW, 9A, MT3Mini = 120V, 1.5KW, 13A. Note: This series has reversible lid(s) with 360° wrap-around non-lit graphics. For available accessories see previous page.							

<b>MT Standard Series - Manual Fill Models</b>							
<b>MT1PUL</b>	Stainless Steel	1	2.5 gal. (9.5L)	.25 hp	27.75" x 11.5" x 18.5" (70 cm x 29 cm x 47 cm)	67 lbs. (30 kg)	\$ 3,200
<b>MT1PULBL</b>	Black	1	2.5 gal. (9.5L)	.25 hp	27.75" x 11.5" x 18.5" (70 cm x 29 cm x 47 cm)	67 lbs. (30 kg)	\$ 3,200
<b>MT2UL</b>	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	\$ 4,320
<b>MT2ULBL</b>	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	\$ 4,320
<b>MT3UL</b>	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	\$ 6,070
<b>MT3ULBL</b>	Black	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	\$ 6,070
<b>MT Standard Series - Auto Fill Ready For Liquid Bag-In-The-Box Apparatus</b>							
<b>MT2ULAF</b>	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	97 lbs. (44 kg)	\$ 5,250
<b>MT2ULAFBL</b>	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	97 lbs. (44 kg)	\$ 5,250
<b>MV2ULAF</b>	Stainless Steel	2	2.5 gal. (9.5L)	(2) .5 hp	35.75" x 14.25" x 18.5" (91 cm x 36 cm x 47 cm)	148 lbs. (67 kg)	\$ 6,000
<b>MT3ULAF</b>	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	127 lbs. (58 kg)	\$ 7,600
Electrical: Line cord included, MT1P & MT2 = 120V, 1.7KW, 15A, MT3 & MV2 = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray tops & gray drip trays. Note: This series has reversible lid(s) with single sided lighted graphics. For available accessories see previous page.							

<b>MT Giant Series</b>							
<b>GIANT2</b>	Stainless Steel	2	4 gal. (15.1L)	(2) .5 hp	35.5" x 18" x 20.5" (90 cm x 46 cm x 52 cm)	147 lbs. (67 kg)	\$ 4,700
<b>GIANT2BL</b>	Black	2	4 gal. (15.1L)	(2) .5 hp	35.5" x 18" x 20.5" (90 cm x 46 cm x 52 cm)	147 lbs. (67 kg)	\$ 4,700
Electrical: Line cord included, GIANT2 = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray tops & gray drip trays. Note: This series has locking reversible lids with 360° wrap-around lighted graphics. For available accessories refer to page 40.							







# Crathco® Barrel Freezers



## Barrel Freezers

- Product reservoir continually replenishes frozen product in barrel. Mix low light alerts user when to refill reservoir.
- Versatile - Serve frozen smoothies, shakes, frozen cappuccino/granita latte, frozen cocktails, granita, frozen fruit juices or slush.
- Patented FlavorLight™ illuminates the frozen product - your choice of eye catching back-lit signs draw customers and increase sales.



Model 3311



Model 5512

Model	# of Barrels	Capacity	Com-pres.	Drive Motor	Electrical	Dimensions	Ship Dimensions (H x W x D)	Ship Wt.	List Price
<b>3000 Series Mechanical Control Frozen Beverage Dispensers</b>									
3311	1	5-7 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	.75 hp air cooled	.5 hp	120V / 1392W / 11.6A***	28.5" x 13" x 29" (72 cm x 33 cm x 74 cm)	30.5" x 20.5" x 36.5" (77 cm x 52 cm x 93 cm)	195 lbs. (88 kg)	\$ 6,738
3511	1	8-10 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	.75 hp air cooled	.5 hp	220V / 60Hz / 10.5A	26.5" x 13" x 29" (67 cm x 33 cm x 74 cm)	30" x 19" x 38" (76 cm x 43 cm x 97 cm)	195 lbs. (88 kg)	\$ 6,966
3312	2	5-7 gal./hour Frozen: 1.5 gal. (5.6L) Storage: 2.25 gal. (8.5L) Total: 3.75 gal. (14.1L)	.75 hp air cooled	(2) .25 hp	120V / 1896W / 15.8A	29.75" x 18.5" x 29" (76 cm x 47 cm x 74 cm)	33" x 24" x 37" (84 cm x 61 cm x 94 cm)	280 lbs. (127 kg)	\$ 8,912
<b>5000 Series Electronic Control Frozen Beverage Dispensers</b>									
5311	1	5-7 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	.75 hp air cooled	.25 hp	120V / 1920W / 16A Required Circuit: 120V 20A NEMA#5-20R	28.5" x 13" x 26.5" (72 cm x 33 cm x 74 cm) (incl. pad)	33.5" x 20.5" x 37" (85 cm x 52 cm x 94 cm)	192 lbs. (86 kg)	\$ 7,224
5512	2	8-10 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 2.25 gal. (8.5L) Total: 3.75 gal. (14.1L)	1 hp air cooled	(2) .25 hp	208/230V / 2645W / 11.5A; Req. Circuit: 208/230V 20A NEMA# 6-20R	27" x 18.75" x 29" (69 cm x 48 cm x 74 cm) (incl. pad)	35.5" x 22.5" x 31.25" (90 cm x 57 cm x 79 cm)	304 lbs. (137 kg)	\$ 13,792
5711	1	15-20 gallons / hour Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	1.5 hp	.5 hp	208/230V / 60Hz / 1Ph	29.75" x 24" x 29" (76 cm x 61 cm x 74 cm)	34" x 23" x 32" (86 cm x 58 cm x 81 cm)	260 lbs. (118 kg)	\$ 8,372
<b>Remote Condensing Frozen Beverage Dispensers</b>									
3341	1	Up to 30 gallons / hour* Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	2.5 hp**	.5 hp	120V/60Hz/1 Ph/816W/6.8A	26.5" x 13" x 29" (67 cm x 33 cm x 74 cm)	30" x 19" x 38" (76 cm x 43 cm x 97 cm)	140 lbs. (64 kg)	\$ 6,388
<p>*Match condensing unit's size to output needs - up to 30 gallons of frozen products per hour.</p> <p>**Works with remote condensing units up to 2.5 hp per freezing cylinder.</p> <p>*** 230V / 50Hz / 7.5A available (add -E to model number)</p>									



# Crathco® Barrel Freezers



## Crathco® Barrel Freezers Start and Adjust for Counter Models

Model	Features	List Price
	<p>Available for all counter units except remote condensing or pressurized models. The install, start and adjust program includes limited installation, equipment inspection, equipment start-up and operator training by a single person in locations 35 miles or less from a Grindmaster-Cecilware™ Authorized Service Center.</p> <p>When installation is purchased with a machine, the unit will be shipped to the installer. The customer must provide the following for installation:</p> <ol style="list-style-type: none"> <li>1. Appropriate electric service within 4 feet of the machine's location for electric hook-up including appropriate heavy duty grounded receptacle with its own breaker.</li> <li>2. Access to cold water with minimum of 30 psi pressure with adequate shut-off valve within 6 feet of the machine's location on units requiring water line hook-up.</li> <li>3. Adequate drain availability for flexible drain hose on units requiring water line hook-up.</li> <li>4. Adequate and appropriate space to position unit.</li> </ol>	
<b>W0910001</b>	Start and Adjust, Single Barrel	\$ 816*
<b>W0910002</b>	Start and Adjust, Twin Barrel	\$ 1,166*
*Additional charges (i.e. removal of old equipment, work required to reach compliance with installation requirements above, travel time outside stated radius, or other expenses outside a normal installation situation) are the responsibility of the customer.		



## Crathco® Barrel Freezer Accessories

Model	Features	List Price
<b>W0890130</b>	Base Cart - Single	\$ 1,436
<b>W0890131</b>	Base Cart - Twin	\$ 1,632
<b>W0890208</b>	Concealed Filter Kit - Black	\$ 212
<b>W0890200</b>	Concealed Filter Kit S.S.	\$ 270
<b>W0890206</b>	Exposed Filter Kit	\$ 106
<b>W0890220</b>	Legs (4)	\$ 58

Model	Features	List Price
<b>W0890224</b>	Parts Tray Kit - Scraper Dasher	\$ 170
<b>W0890219</b>	Parts Tray Kit - Standard	\$ 170
<b>W0470051</b>	Refractometer	\$ 192
<b>W0890053</b>	Spinner Kit - 110V	\$ 666
<b>W0890124</b>	Spinner Kit - 220V	\$ 766
<b>W0890246</b>	Spinner Kit - 220V for 5512	\$ 766





## Online Ordering

- **Track Shipments**
- **Place New Orders**
- **Check Existing Orders**
- **Check Product Availability**

**Coming  
Soon**

For Grindmaster: [www.grindmaster.com](http://www.grindmaster.com)

**Now**

For Cecilware: [www.cecilware.com](http://www.cecilware.com)



## 2010 Tradeshows

### **Grindmaster-Cecilware™ 2010 Tradeshows**

Refer to [www.grindmaster.com](http://www.grindmaster.com) and [www.cecilware.com](http://www.cecilware.com) for up to date information.

---

#### **United States**

**AWMA, March 10 - 11**

The Convenience Distributor Conference & Expo.,  
Las Vegas, NV

**SCAA, April 16 - 18**

The Anaheim Convention Center,  
Anaheim, CA

**NAMA, April 28 - 30**

McCormick Place,  
Chicago, IL

**NRA, May 22 - 25**

McCormick Place,  
Chicago, IL

**NACS, October 6 - 8**

Georgia World Congress Center,  
Atlanta, GA

**IH/MRS, November 14 - 16**

J. Javits Center,  
New York, NY,

#### **International**

**FHA (Food and Hospitality Asia), April 20 - 23**

Singapore Expo,  
Singapore





# Warranty

## Grindmaster-Cecilware Corporation™ Beverage Equipment Warranty for USA

Effective January 1, 2010

New machines that have been manufactured by or for Grindmaster-Cecilware Corporation™ and all parts thereof are conditionally\* warranted to the original user by Grindmaster-Cecilware Corporation™ to be free from defects in material and workmanship (existing at the time of manufacture and appearing during the stated warranty period) under normal use and service as follows:

### All Equipment unless specified otherwise below: 1 year parts and 1 year labor

<b>Crathco® Barrel Style Freezers</b> 1 year parts 1 year labor 5 years compressor parts	<b>Micro-Controller based boards (except Granita and Crathco® Barrel Style Freezers and PIC)</b> 3 years parts 1 year labor	<b>PrecisionBrew™ Coffee Brewers and Space Saver Urns</b> 2 years parts 2 years labor
<b>G-Cool/Crathco® Classic Premix Dispensers</b> 1 year parts 1 year labor 5 years compressor parts	<b>All Grinding Burrs on coffee grinding equipment manufactured by Grindmaster-Cecilware (does not include espresso grinders)</b> 4 years parts (or 30,000 lbs. of coffee - whichever comes first) 1 year labor	<b>Urn Body and Liners</b> 3 years part
<b>Arctic Series (Ugolini) Cold Beverage Dispensers</b> 1 year parts 90 days labor	<b>AVS/VS Vacuum Shuttles®, Classic CS-1 Shuttle®, and CW-1 Warmer</b> 1 year parts	<b>PrecisionBrew™ Pod Brewers</b> Model OPOD: 1 year replacement Model GPOD: 1 year replacement
<b>Powdered Beverage Dispensers</b> 2 years parts 1 year labor		<b>Grindmaster-Cecilware Accessories (does not include glass decanters and Airpots)</b> 90 days parts only

During these warranty periods, Grindmaster-Cecilware Corporation™ will at its option (and after inspection), repair or replace a defective unit with no charge for parts or bench labor during the applicable parts or labor warranty period, respectively. Grindmaster-Cecilware Corporation's obligation under these warranty periods shall be limited to repairing or replacing any part of said dispenser (excluding plastic parts, rubber parts, light bulbs or normal wear items), which proves defective within the warranty period. These warranty periods run from the date of installation (proof of installation date required) if within 6 months of ship date, or if no proof of installation is provided the warranty start date is the original ship date of the equipment. Travel is covered up to 50 miles or 1 hour, whichever comes first. Labor does not include the cost of shipping to or from the service station or factory.

\*This warranty is subject to the following conditions, terms and exclusions (for a detailed list see Warranty Explanation):

- Warranty does not apply to machines or any part thereof which have been subject to any accident, abuse, misuse, neglect, alteration, use on incorrect voltage, improper ventilation, damage caused in transit, improper installation or operation, improper maintenance or repair, normal wear items, plastic or rubber parts, poor water conditions, machine adjustments, temporary non-functioning conditions, fire, flood or acts of God;
- Warranty is in lieu of all other warranties expressed or implied. In no event shall Grindmaster-Cecilware Corporation™ be liable for consequential or incidental damages.
- The model and serial number of the unit (shown on the serial plate) shall be supplied to the service station or factory along with the defective parts of the unit.
- Upon request by Grindmaster-Cecilware Corporation™, some warranty parts, (including but not limited to: motors, compressors, micro controlled based boards, gear motors, and burrs) shall be shipped prepaid to the Grindmaster-Cecilware™ Factory Service Center designated in the RGA confirmation. Upon receipt, Grindmaster-Cecilware Corporation™ will inspect parts to verify warranty claim is valid. Replacement parts will be billed out when shipped, and then credited on return of a part that is proven to be a valid warranty claim upon inspection by Grindmaster-Cecilware Corporation™. Warranty labor will not be paid until warranty claim parts are received and validated by Grindmaster-Cecilware Corporation™.
- The buyer shall give prompt notice to Grindmaster-Cecilware Corporation™, and must obtain prior authorization from Grindmaster-Cecilware Corporation™, for any claim to be made under said warranty via telephone at (800-695-4500) or writing to P.O. Box 35020, Louisville, KY 40232-5020.
- Upon request by Grindmaster-Cecilware Corporation™, the defective equipment shall be shipped prepaid to the Grindmaster-Cecilware™ Factory Service Center designated in the RGA confirmation, or, if requested by Grindmaster-Cecilware Corporation™, to an authorized Grindmaster-Cecilware™ service location.
- No field (including travel), outside or service station work is covered by this warranty without prior authorization by the Grindmaster-Cecilware™ Service Department.**

The dealers, distributors, employees and agents of Grindmaster-Cecilware Corporation™ are not authorized to modify this warranty or to add warranties that are binding to Grindmaster-Cecilware Corporation™. Neither written nor oral statements by such individuals establish warranties and thus should not be relied upon. This will establish your warranty rights. The purchaser's redress against Grindmaster-Cecilware Corporation™ for the breach of any obligation arising from the sale of this equipment, whether derived from warranty or elsewhere, shall be limited to repair, replacement or refund at Grindmaster-Cecilware Corporation's™ discretion.







# Terms & Conditions

## IMPORTANT INFORMATION WHEN ORDERING PRODUCTS

### Credit Terms:

- Net 30 days from date of invoice with approved credit application. 1% discount for payment in 10 days. Credit applications for open account normally take 10 working days for approval unless rated by Dun and Bradstreet as high or good.
- We welcome MasterCard®, Visa®, and American Express®.
- Customers without open accounts are required to send payment in advance or pay by credit card. A cashier's check or money order can be accepted. No C.O.D. orders.
- Minimum order is \$40 list price.
- No goods can be returned for credit without our prior written consent and may be subject to a 15% re-stocking charge.

### Freight:

- All equipment orders of \$8,000 list or more to a single destination in the continental U.S.A. are freight prepaid (ground shipping only) by Grindmaster-Cecilware Corporation™.
- Prices subject to change.
- Product specifications are subject to improvement or change.
- Supersedes all previous price lists.







GRINDMASTER-CECILWARE<sup>TM</sup>

## **Domestic Sales**

### **National Accounts**

Keith Enscoe, VP Domestic Sales  
Ph: (502) 357-2163  
Fx: (502) 326-1422  
kenscoe@grindmaster.com

### **Bowery, National Accounts**

Paul Kahn, VP Domestic Sales  
Ph: (800) 935-2211 ext. 3223  
Fx: (718) 721-4655  
paul.kahn@cecilware.com

### **Mid-Atlantic Region**

Michael Belardo  
Ph: (917) 273-7579  
Fx: (215) 322-4773  
michael.belardo@cecilware.com

### **Florida**

Rich Tosi  
Ph: (407) 474-7060  
Fx: (407) 321-4051  
rtosi@grindmaster.com

### **Ohio, Michigan, Indiana, Kentucky**

Bryan Johnson  
Ph: (513) 460-4594  
Fx: (513) 831-3694  
bryan.johnson@cecilware.com

### **Minnesota, Wisconsin**

Al Lucia  
Ph: (763) 350-2629  
Fx: (763) 475-5481  
alucia@grindmaster.com

### **Arizona, S. California, S. Nevada**

Frank Coronado  
Ph: (480) 208-4425  
Fx: (480) 354-0671  
fcoronado@grindmaster.com

### **N. California, N. Nevada, Oregon, Washington**

Dave Williams  
Ph: (209) 602-0117  
Fx: (209) 848-1341  
dwilliams@grindmaster.com

### **Texas & Oklahoma**

Jeff Loff  
Ph: (502) 645-3010  
Fx: (830) 438-6519  
jloff@grindmaster.com

## **International Sales - Grindmaster Products**

### **Mexico, Latin America**

José Miranda  
Ph: +1-305-443-4345  
Mobile: +1-305-772-5855  
Fx: +1-305-443-7270  
jmirandagrindmas@aol.com

### **Europe, Africa, Middle East**

Bo Fredriksson  
Ph: +46 70 445 13 16  
Fx: +46 54 29 35 55  
fmab.gcs@telia.com

### **Asia-Pacific**

Mongkolchai Limpikanjanakowit  
Tel: +66 (0) 2741 3828  
Mobile: +66 (0) 8 1650 6005  
Fx: +66 (0) 2331 4455  
mlimpika@grindmaster.com

## **International Sales - Cecilware Products**

HD Sheldon  
Ph: +1-212-924-6920  
Fx: +1-212-627-1759  
rmetros@hdsheldon.com

*For regions not listed contact us to locate a representative in your area.*



# GRINDMASTER-CECILWARE™

### **Address:**

4003 Collins Lane  
Louisville, Kentucky 40245 USA

### **Mailing Address:**

P.O. Box 35020  
Louisville, Kentucky 40232 USA

### **Phone:**

+1.502.425.4776  
800.695.4500 (USA & Canada only)

### **Fax:**

+1.502.425.4664

**info@grindmaster.com**

**www.grindmaster.com • www.cecilware.com**